

# HP Professional

NOVEMBER 1997

HP-UX

Windows NT

MPE/iX

A BCI PUBLICATION

## BUSINESS CONTINUITY

### Full Catastrophe Computing

Are you prepared for anything and everything? Or are you waiting for the bomb to drop? If you align IT with your business processes now, you can have a blast while your competitors are dealing with the fallout.

**PAGE 18**


### Double Jeopardy

"Years that end in zero" for \$600 billion, please. Answer: This year has been the subject of a predicted dire, disturbing, and daunting computer crash. What is...?

**PAGE 26**

## ENTERPRISE STORAGE **PAGE 38**

- Trends in HP Storage
- NT Media Services
- Storage Insurance
- Memory Focus



## HP News & Views **PAGE 8**


- New HP 3000 Upgrades
- HP Gives It Up For The World Cup
- Waiting On Rambus

## Product Watch **PAGE 14**

- Cognos' Power2000
- Radguard's PyroWall

## INsite Case Study **PAGE 28**

- GTE Government Systems Co-Creates With HP





### **Prism Library Architecture,™**

Created for growth and capable of adapting to new technology. Prism's industry standard PCI slots allow for a future of high performance PCI adapters. Fibre-channel host adapters. Gigabit network adapters. Single-board computers with embedded backup software. Tape array adapters with mirroring, automatic drive fail-over and more!



**Announcing the birth of a new architecture in today's most powerful DLT library**

**Fibre** Ready.  
**Network** Ready.  
**Server** Ready.  
**Array** Ready.

**ATL**  
PRODUCTS

**The P1000 Series.** A bundle of performance, capacity and fault-tolerance that's incredibly easy-to-use. Up to 30 cartridges and 4 DLT™7000 drives. Rackmount or deskside enclosures. Hot-swap DLT drives. Security, admin and service from a browser-like touch screen. WebAdmin™ software for library administration anywhere on the world wide web. Prism Inside.

**One day all libraries will have  
Prism Library Architecture.**



**Quantum**  
CAPACITY FOR THE EXTRAORDINARY™

CIRCLE 241 ON READER CARD

[www.atlp.com](http://www.atlp.com) 714.774.6900

©ATL Products, Inc. DLT is a trademark of Quantum. WebAdmin is a trademark of ATL.



*reliability*   *availability*   *predictability*   *scalability*   *flexibility*



# RELIability

## CLAM High Availability Services

Building highly available computer systems shouldn't be a leap of faith. You need a systems integration partner that can help you avoid the unexpected and show what reliability really means - the ability to protect your business from the risk of going down.

We begin by analyzing business requirements and defining objectives. Then we configure, test and install high availability solutions for companies running Hewlett-Packard's MC/ServiceGuard on the HP 9000 platform — all while transferring our knowledge to you. The result: reliability for the life of your business.

Business reliability is CLAM's passion. We pioneered the first high availability solution for UNIX systems and continue to be the leader in providing a full range of Systems Integration and Education services to ensure the continuous availability of business applications. Our expertise in high availability will keep your business flying high.

For more information on CLAM's Systems Integration and Education services, call (617) 621-2542 or visit our web site at [www.clam.com/reliability\\_hp](http://www.clam.com/reliability_hp).

**We Deliver Business Reliability**



[www.clam.com/reliability\\_hp](http://www.clam.com/reliability_hp) • 617.621.2542



© CLAM Associates 1997. Covered by Patent Rights Issues and/or Pending. HP, HP 9000 and the Channel Partner emblem are registered trademarks of Hewlett-Packard Company. MC/ServiceGuard is a licensed product of Hewlett-Packard Company. All other trademarks are the property of their respective companies.

CIRCLE 199 ON READER CARD



**Who's going to help carry your  
business through the Year 2000?**

**The HP 3000 — partnering with you  
now and into the future.**

---

Worry-Free, Business-Critical Computing.



Computer Systems

<http://www.hp.com/go/year2000>





# Contents

November 1997

Vol. 11, No.11

## It's The End Of The World As We Know It

By James Dukart

*The business of IT is business, and nothing captures that idea more powerfully than a disaster. While Business Recovery Services call for helping companies and organizations recover from natural or man-made disasters, the process now incorporates a lot more than you'd imagine.*

18

### ENTERPRISE STORAGE SPECIAL SECTION

#### 38 Extending Capacity Beyond The Desktop

*Trends in HP storage technologies.*

By Roger Archibald

#### 42 They Don't Call It A Brave New World For Nothing

*A new Windows NT storage standard.*

By Tom Rose

#### 48 Double, Double, Toil And Trouble

*Double up for data protection.*

By Anne Murphy

#### 50 The Fondest Of Memories

*The dish on DRAM, past, present and future.*

By Deborah Schwartz

#### HP News & Views .....7

### COLUMNS

#### UNIX At Large: My Disk Runneth Over By Fred Mallett

*Waste not, want not; or how to avoid having a system that can process data faster than the I/O system can deliver it. ....30*

#### Windows NT: perfmon: An NT Traffic Report By Ryan Maley

*Locate performance bottlenecks, benchmark system performance and identify the need for more resources with the perfmon command .....34*

#### Internet Digest: The New Impressions On Compression By Mark McFadden

*GIF and JPEG have exceeded their original uses. But with FlashPix and the Internet Imaging Protocol, you can once again get your 1,000-words worth out of Web site graphics. ....36*

#### & Another Thing...: Forget NT, Learn COBOL By James H. Zisch

*COBOL is alive and kicking, and you'd be surprised to find from where converts are coming. ....64*



### YEAR 2000 REPORT

#### The Nightmare Before Christmas

By James Dukart

*There are two kinds of disasters, those you can prevent and those you can't. The so-called Y2K bug falls in the former. Do you know what needs to be done before the problem becomes an uncontrollable disaster? Page 26*

#### Guest Editorial .....7

### PRODUCT WATCH

Cognos Inc.'s Power2000 .....14

Radguard Ltd.'s PyroWall .....16

### INSITES

#### Co-Creating A Data Management

*Solution .....28*

*GTE Government Systems Launches PDM System In Comprehensive Re-Engineering Effort*

*New Products .....56*

*Product Showcase .....60*

*Reader Information/*

*Advertiser Index .....63*

# HP Professional

www.hpprofessional.com

Cover photo courtesy of Tony Stone Images



*Thanks to Harmonizer, over 3000 Aldon customers are humming a new tune about installing new packaged software releases.*

# A classic from the Aldon repertoire. Harmonizer.

es. In fact, Harmonizer can save you 60-80% of the time you now spend putting up new releases.

Harmonizer identifies and reports all changes made by you and by the vendor on a new release, then merges your changes with the new release to create new production versions of your programs. It's that simple.

Harmonizer allows you to make modifications to your software applications and still take advantage of new releases.



**ALDON**  
The Art of Change Management

**Aldon Computer Group**  
401 15th Street  
Oakland, California 94612  
(510) 839-3535  
(800) 825-5858  
FAX: (510) 839-2894

And the elegant Harmonizer user interface makes it easy to learn and use.

Conduct your own examination  
—for a free software trial, call  
toll free, 1-800-825-5858.

CIRCLE 162 ON READER CARD

## HP PROFESSIONAL EDITORIAL ADVISORY BOARD

**Nigel Ball**  
Marketing Director For HP's General Systems Division

**Robert Bruen**  
Computing and Networking Manager at the MIT Lab for Nuclear Science

**Frank Humphries**  
Director of Marketing at HP Asia Pacific Ltd.

**Thomas Kucharvy**  
President of Summit Strategies

**John R. Logan**  
Vice President of Aberdeen Group Inc.

**Michael J. Meinz**  
Principal Technical Consultant at General Mills Inc.

**Glenn Osaka**  
General Manager of HP's Commercial Systems Business Unit

**Harry Sterling**  
General Manager for HP's Commercial Systems Division

**Bard F. White**  
CIO and Worldwide Director of MIS  
for Spalding Sports Worldwide

UNIX is a registered trademark of AT&T in the U.S.A. and in other countries. MS-DOS is a trademark of Microsoft Corp. Macintosh is a trademark of Apple Computer Inc. X Window System is a trademark of MIT. Windows is a registered trademark of Microsoft Corp. Windows NT is a registered trademark of Microsoft Corp. NetWare is a registered trademark of Novell Inc.

# HP Professional

**EDITOR-IN-CHIEF** George A. Thompson  
thompsonga@cardinal.com  
**ASSOCIATE EDITOR** Deborah Schwartz  
schwartzdr@cardinal.com

**INTERNATIONAL EDITIONS EDITOR** Karine Simpson

### COLUMNISTS

**INTERNET** Mark McFadden

**NETWORK MANAGEMENT** Greg Barnes

**UNIX** Fred Mallett

**WINDOWS NT** Ryan Maley

**CONTRIBUTING AUTHORS** David Baum, Lane Cooper, James Dukart, Frank Teti

**EXECUTIVE DESIGN DIRECTOR** Leslie A. Caruso

**ASSOCIATE ART DIRECTOR** Jennifer Barlow

**PRODUCTION MANAGER** Carla Loughlin

**CIRCULATION DIRECTOR** Dianna Schell

**MARKETING MANAGER** Angela Campo

**SENIOR GRAPHIC DESIGNER** Christine Piatkowski

**PUBLISHER** Leslie Ringe  
ringele@cardinal.com

**BOUCHER COMMUNICATIONS, INC.**  
**PRESIDENT AND CHIEF EXECUTIVE OFFICER**  
Robert N. Boucher

**EXECUTIVE VICE PRESIDENT**  
Thomas J. Wilson

**EXECUTIVE VICE PRESIDENT**  
R. Patricia Herron

**VICE PRESIDENT & CHIEF FINANCIAL OFFICER**  
Andrew D. Landis

**DIRECTOR, HUMAN RESOURCES**  
Mary G. Steigenvall

For more information on how to contact your sales representative, see page 63. For address changes and other subscription information, please call (847) 291-5212 or FAX (847) 564-9002. In the U.S., missed issues must be claimed within 45 days of publication date; outside the U.S., missed issues must be claimed within 90 days. Editorial, advertising sales and executive offices at 1300 Virginia Dr., Ste. 400, Fort Washington, PA 19034 • (215) 643-8000, Corporate FAX (215) 643-8099.

**HP PROFESSIONAL** ISSN 0896-145X is published monthly by Boucher Communications Inc., 1300 Virginia Dr. Ste. 400, Fort Washington, PA 19034. Subscriptions are complimentary for qualified U.S. and Canadian sites. For reprints, contact Reprint Management Services, 505 E. Airport Rd., Lancaster, PA 17601; (717) 560-2001, FAX (717) 560-2063. Periodicals postage paid at Fort Washington, PA 19034, and additional mailing offices. **US POSTMASTER:** Send all correspondence and address changes to HP PROFESSIONAL, P.O. Box 3053, Northbrook, IL 60065. **COPYRIGHT** © 1997 by Boucher Communications Inc. **CANADIAN POSTMASTER:** Send all correspondence and address changes to Boucher Communications, C/O N.I., P.O. Box 44, RPO Rockwood Mall, Mississauga, ON L4Z 9Z9. All rights reserved. No part of this publication may be reproduced in any form without written permission from the publisher. All submitted manuscripts, photographs and/or artwork are sent to Boucher Communications Inc. at the sole risk of the sender. Neither Boucher Communications, Inc. nor HP PROFESSIONAL magazine is responsible for any loss or damage. HP PROFESSIONAL is an independent journal not affiliated with Hewlett-Packard Company. HP and Hewlett-Packard are registered trademarks and HP PROFESSIONAL is a trademark of Hewlett-Packard Company.

Canada Post International Publication Mail Canadian Distribution Sales Agreement #HPM0264431

Printed in U.S.A.

**BPA ABP**

### ADDRESS LETTERS TO


Editor, HP Professional  
1300 Virginia Dr., Ste. 400,  
Fort Washington, PA 19034  
Fax: (215) 643-4827

Internet: THOMPSONGA@CARDINAL.COM

All letters and e-mail are subject to editing and publication.



# Backup 64 GB An Hour To The Strongest Tape Ever Made



## Plug Compatible With

Alliant  
 Alpha Micro  
 Altos  
 Amdahl  
 Apollo  
 Aris  
 AT&T  
 Basic-4  
 Bull  
 Concurrent  
 Convergent  
 Data General  
 Digital  
 Gould/Encore  
 Harris  
 Honeywell  
 HP  
 IBM PC/Compatible  
 IBM Midrange/Mainframe  
 ICL  
 Intergraph  
 Macintosh  
 McDonnell Douglas  
 Motorola  
 NCR  
 NeXT  
 Novell  
 Pertec  
 Prime  
 Pyramid  
 Sequent  
 Silicon Graphics  
 Stratus  
 Sun  
 Texas Instruments  
 Unisys  
 Ultimate  
 Wang  
 Windows NT

Let's face it, your backup is only as good as your tape. And all the performance in the world won't get your data back if your tape is weak or dirty. Fortunately, there's no need to compromise. The CY-8000 is the safest, the most reliable, *and the fastest* 8mm tape drive on the market.

The CY-8000 uses **Advanced Metal Evaporated** media, a 100% cobalt, 2-layer tape that features a diamond-like coating for exceptional durability. And it's the *only* 8mm drive with a **built-in head cleaner** to keep the tape path free of contaminants, further ensuring data integrity and virtually eliminating the time and expense associated with cleaning kits.


In addition to superior design, the CY-8000 offers unbeatable performance. Able to store **25 GB at 3 MBS**, uncompressed, you can achieve up to **125 GB at 9 MBS** with optional data compression. With 257% more capacity and 500% greater speed\* than industry standard 8mm drives, the CY-8000 can backup faster to fewer tapes.




The superior design of the AME tape makes it suitable for 20,000 passes.

For maximum flexibility, our exclusive Advanced SCSI Processor option provides five recording modes — **striping, mirroring, cascade, independent, and offline copy/verify**. So you can easily make duplicate tapes for off-site storage or data exchange, build fault tolerance, or simply maximize performance to accomplish bigger backups in less time. With the Advanced SCSI Processor, you've got a complete data storage management tool.

Available in a single or multi-drive desktop, rack mount, or library configuration, the CY-8000 is scalable to **15.75 terabytes**. If you need to ensure the safety of your company's critical data, don't trust anything less.



Compact in size, the CY-8000 can store up to 125 GB on each tape.



Automate access to up to six drives and 126 tapes with our intelligent tape library.


\* Uncompressed; CY-8000 performance advantages are even more impressive with data compression.

**(757) 833-9000 ext. 115**  
**CYBERNETICS**

111 Cybernetics Way • Yorktown, VA 23693 • Fax (757) 833-9300

CIRCLE 160 ON READER CARD





## MEMORY IS NOT A COMMODITY

DRAMs are traded like soybeans, pork bellies and crude oil. The market is volatile. Prices change daily.

Well designed, properly configured and thoroughly tested memory products are as rare as spotted owls.

It's your workstation. Your work. When you need memory, call Newport Digital.

You'll get the quality and service you expect from the leader in HP workstation enhancements. Superior products. Outstanding technical support. Very competitive prices.

HP Series	MB	1	2	4	8	16	32	64	128	256
HP-200/310/320	•	•	•	•						
HP-319			•	•						
HP-330/350/370			•		•					
HP-332			•							
HP-340			•							
HP-345/375/380			•	•	•	•				
HP-360			•	•	•	•				
HP-362		•	•	•	•	•				
HP-382			•	•	•	•				
HP-400/425/433			•	•	•	•	•			
HP-425E			•	•	•	•	•			
HP-700RX	•	•	•	•	•	•	•			
HP-705/710			•	•	•	•	•			
HP-715/725			•	•	•	•	•	•		
HP-720/730/735			•	•	•	•	•	•	•	
HP-742/745/747			•	•	•	•	•	•	•	•
HP-750/755			•	•	•	•	•	•	•	•
HP-8X7/9X7			•	•	•	•	•	•	•	•
HP-FXX/GXX/HXX/XXX			•	•	•	•	•	•	•	•

**Call today.** Speak with an expert on Hewlett-Packard computers. See why memory worth having is not a commodity.

**NEWPORT DIGITAL**  
**1-800-383-3642**

CIRCLE 246 ON READER CARD



## Technology's Promised Land

Those of us working with the complex hardware and software systems, which support the increasingly information-intensive enterprise, are accustomed to, and take pride in, watching for new technology developments that promise solutions to enduring issues such as performance, cost, availability, compatibility, usability, scalability and flexibility. That's the easy part.


The difficulty lies in getting caught up in the phenomenon of technological progress itself. Because it's easy to succumb to the temptation to see each new technological wave as an improvement, we lose sight of the fact that we don't necessarily move our information systems closer to achieving any of our organization's ultimate business goals. It's like hawking the latest exercise machine. Most of us know from experience that the most innovative, feature-laden equipment only does any good if it's incorporated into a regular fitness program tailored to meet individual needs. For example, systems managers seeking ways to safeguard their mission-critical enterprise data and applications may view advances in server and networking technology as long-awaited solutions to the pressing need for high availability. But clustering, or any other approach to high availability is only a single piece of a larger issue which extends beyond the technology itself. In this instance, the systems manager's real objective is non-stop, perpetual business operations. In other words, the ability to maintain the enterprise's business operations — no matter what.

Because a high-availability strategy ultimately affects every part of an organization, the proper planning process involves much more than project implementation planning. It begins with identifying the enterprise's business requirements and goes through establishing procedures and contingencies for end users. For each application, it's essential to carefully assess what key features are provided to end users. Does the business demand that the application be available around the clock, 365 days a year? How much downtime is permissible over the course of a year? An hour or two? As many as several business days? What are the implications of downtime for employees, customers and future business?

A typical company experiences nine system outages per year, and the average loss associated with each outage is approximately \$75,000 per hour of downtime. The causes of downtime are often not hardware- or disaster-related, but rather involve scheduled maintenance and software upgrades, software defects, viruses and operator error. In the event of downtime, what length of time is expected by the organization for failover? Preparing a thorough response plan involves creating recovery procedures addressing all of these situations—procedures that are designed for end users, system operators and system components.

How can client reconnection time and data recovery be reduced after an event? How can the organization's response time to an event be shortened? Can failover be done manually by available system operators? Or, do events need to be detected instantly and handled automatically by the system? How are the system operators notified in the case of a failure? Keeping track of the many business elements as well as the interactions of the operating system, networks, databases and applications and how each affects overall system throughput and performance requires an effective planning and integration methodology and strong project management.

Once all the business requirements are agreed upon by IS and corporate management, the task of planning a comprehensive business protection strategy begins. However, we often don't spend enough time on the most essential step, because we frequently don't have the skills or take the time: to clearly document the steps that operators and end users need to follow in cases of downtime, and to train the necessary personnel to follow them correctly when downtime occurs.



**Tony Rodriguez**  
Chief Technology Officer  
CLAM Associates Inc.



## HP NEWS &amp; VIEWS

**HP 3000 NEWS YOU CAN USE****HP 3000 939KS/020**

In November, HP announced the HP 3000 939KS/020, an entry-level, midrange server with a 78MHz PA-7200 CPU and a 2MB cache (1MB data cache/ 1MB instruction cache). The 939KS comes standard with four I/O slots; four more slots can be added. External to the chassis, 14 or 28 additional slots can be added.

The single-processor 9x9KS/020 can be upgraded to the multiprocessor 969KS, 979KS/x20 or 979KS platforms that use larger caches or the higher frequency PA-8000 CPUs. By upgrading to these higher performance platforms, support also can be added for up to four-way multiprocessing. All 9x9KS/020 processor upgrades, as well

as memory additions, I/O extensions and add-on peripherals are simple field installations.

**MPE/iX 5.5 Express 4**

Changes promised for the mid-1998 release of MPE/iX 6.0, will be available this month in the MPE/iX 5.5 Express 4 release (available at no charge to customers on support contracts). That ensures that MPE/iX runs properly when clocks roll over to the year 2000.

Changes include fixes to data-sensitive Command Interpreter (CI) commands, the addition of several new CI variables and the updating of VPLUS to assist in dealing with the year 2000. The new MPE/iX release, as well as all subsequent MPE/iX releases, will be year 2000-compliant.

**HP 3000 Series 918DX Software**

**Developers Bundle** Addressing a long-standing complaint of HP 3000 ISVs for a development system, HP is shipping the HP 3000 Series 918DX Software Developers Bundle which will consist of an HP 3000 918LX server, several compilers and tools provided by HP free of charge.

The 918LX server contains: two slots, an eight-user MPE/iX FOS, Image/SQL and Allbase/SQL; 64MB memory; 4GB hard disk drive; 4 to 8GB DDS DAT tape drive; 700/96 system console; HP Powertrust UPS (600vA); media on DDS tape; and paper documentation.

Compilers and tools from HP include: HP C/iX, HP Pascal/iX, HP COBOL II/iX, HP Business BASIC/iX, HP RPG/iX, HP FORTRAN 77/Ix, HP Transact/iX, HP Glance/iX and HP Symbolic Debugger. Products are available from Adager, AICS Research, Allegro, Bradmark, Cognos, Genesee, HICOMP, Lund, QSS, Robelle, SMM Software, Speedware, Quest Software, VESoft and 3k Associates.

**IN DEPTH, IN SHORT  
SELECTIVE MEMORY**

The debate is heating up over whether Rambus, a proprietary command-driven smart memory from Rambus (Mountain View, Calif.), or SDRAM (formerly SyncLink), an open memory specification currently being developed by various semiconductor companies in the SDRAM Consortium, will emerge as the next DRAM standard.

Recently, memory chip makers are up in arms about recent deals between Intel (Santa Clara, Calif.) and Rambus, claiming that Intel is making another run at cornering the memory market. Currently, Intel controls the microprocessor market, the support chip set market and the motherboard market. "[Intel's endorsement] has caused a problem with many DRAM manufacturers because they would have preferred that Intel stay neutral," says Bosco Sun, president of Camintonn ZRAM (Irvine, Calif.). "The DRAM manufacturers would prefer SDRAM because it's not proprietary and if Intel would endorse [SDRAM], that would help with [SDRAM's] acceptance in the market."

Sun notes that despite this, most major memory providers are jumping on the Rambus bandwagon also. "They're hedging their bets. 'And, what Intel says, people do.'" Because Intel is talking about product availability in 1999, it's a good bet that this is being considered as part of the architecture of their P7 chip, currently under development with HP. Their (Merced) CPU has a voracious appetite for memory, and Intel needs to keep the rest of the system moving fast enough to make the CPU look good.

Intel's decision to invest in a new memory architecture stems from concerns about SDRAM. Intel reports that SDRAM, currently available at an internal clock rate of 66MHz, is ultimately limited to 100MHz and is not a suitable architecture to support its long-term processor plans. Dataquest, however, says that SDRAM's current speed limitations will be overcome as new variations of the technology are developed.

—Deborah Schwartz, Associate Editor


**SUITE MUSIC FOR HP'S  
OPEN WAREHOUSE**

HP introduced its HP OpenWarehouse management suite — an integrated package of products for managing datawarehouse environments.



The OpenWarehouse management suite incorporates a set of tested and integrated data warehouse and management applications, including HP OpenView IT/Operations, MeasureWare and PerfView. OpenWarehouse uses the MeasureWare Application Response Measurement (ARM) API to report response times to PerfView. This allows customers the infrastructure





## Tough to scale

**Protect** your investment in tape backup equipment with the LibraryXpress system. Begin with a base module containing one or two DLT4000 or DLT7000 drives and 10 cartridges. This will provide you with a storage capacity of up to 700 gigabytes and a data rate of 72 gigabytes per hour.



The exclusive Global Control unit passes cartridges between modules, allowing any cartridge to access any drive in the system, for true maximum system performance. Up to nine modules can be combined to create the ultimate automated storage system. Network administrators can continually fine-tune LibraryXpress expansion by balancing the ratio of tape drives to cartridges. Optimal configurations based on individual capacity, performance and budget requirements are easily achieved without the need to lock into a vendor-defined growth path of only a few possible configurations.

*IEM is a full solution provider:*



*Combine LibraryXpress with our excellent software backup choices Alexandria and DallasTools.*

### *IEM: Providing Solutions for a Lights-out Environment*

In the U.S. and Canada:  
IEM, Inc., P.O. Box 1889  
Fort Collins, CO 80522 USA  
Phone: (970) 221-3005  
(800) 321-4671  
Fax: (970) 221-1909

In the United Kingdom:  
IEM, Inc., Unit 6, Salisbury House,  
Wheatfield Way, Hinckley Fields,  
Hinckley, Leicester LE10 1YG  
Phone: +44 (0)1455 239000  
Fax: +44 (0)1455 239668

All others:  
IEM International Sales  
1629 Blue Spruce Drive  
Fort Collins, CO 80524 USA  
Phone: +[1] 970-221-3005  
Fax: +[1] 970-221-1909



## Easy to scale

**Scale up** with any combination of stackable modules. Choose from a performance module, with up to five drives, or a capacity module, with 16 cartridges.



to implement service-level and end-to-end performance management with minimized consulting services.

## HP DIGS INTO IMAGING

HP, Adobe Systems Inc., Canon, Eastman Kodak Co., Fuji Photo Film Co. Ltd., IBM, Intel, Live Picture Inc. and Microsoft Corp. have formed the Digital Imaging Group (DIG) — an open consortium whose mission is to promote the growth of digital imaging by defining an open and interoperable platform for imaging solutions.

Copyrights, trademarks and test suites for HP's FlashPix imaging architecture and the Internet Imaging Protocol (IIP) will be turned over to the DIG to ensure that they remain sound, interoperable technical foundations for digital imaging products and solutions in the future (*see Internet Digest*, p.36).

## SWITCHSOFT SYSTEMS INC. NAMED HP OPENVIEW PARTNER

SwitchSoft Systems Inc. (Redwood City, Calif.) has achieved HP OpenView Premier Partner status, and its Visual Ping for HP OpenView Network Node Manager 5.0 tool has passed HP OpenView certification testing. SwitchSoft's Visual Ping is an implementation of the Internet Control Message Protocol. It is used to test TCP/IP networks by sending and receiving "ping" packets, which confirm network connections. Also, Virtual Network Visualizer (VNV), which is scheduled to be available this month.

## WRQ PRODUCTS REFLECTING A NEW NAME

WRQ has renamed their venerable emulation products to, eh, reflect the changing times: Reflection 1 becomes Reflection for HP, Reflection 2 becomes Reflection for UNIX and Digital, Reflection 4 becomes Reflection for ReGIS Graphics. In addition, Reflection TCP Connection for Windows 95 has been renamed TCP/NFS Connections.

## JUST FOR KICKS

### HP-UX and Windows NT are Center Circle at World Cup '98

Last December, HP was selected as the technology supplier for the World Cup. Held in 10 cities throughout France in 1998, The World Cup is the largest international sporting event. HP, along with Sybase (Emeryville, Calif.) and EDS (Plano, Texas), will be supplying the computing environment as well as support and services, while French Telecom will supply connectivity within France.

The technical requirements are daunting: 2.5 million tickets for 64 matches in 10 stadiums; accreditation for 50,000 staff, volunteers and players; media information for 10,000 journalists; and compiling results and statistics for 64 matches and 32 teams. Add to that 2.5 million spectators and an expected audience of 37 billion TV viewers worldwide. Now that's an integrated enterprise.

According to Mark Hudson, HP's Internet marketing manager, although HP supplied its testing and medical equipment in the 1972 Olympics and provided support for the America's Cup, "it's the first time for HP on this kind of scale and magnitude."

By the time the World Cup closes in July 1998, HP will have used 75 different products across 10 of its divisions. "HP-UX and NT will be the two key platforms," says Hudson. Already well underway, the final configuration is expected to include 100 UNIX and Windows NT servers, 100 networks supported by HP's AdvanceStack hubs, routers and switches, 500 networked printers, 2,000 Vectra desktops and OmniBook laptops as well as palmtops and optical storage jukeboxes.

It's quite a coup for HP to trip up Sun Microsystems, the supplier for the 1994 World Cup. HP is taking advantage of the publicity to promote its HP Domain Internet servers, which will be the heart of the entire World Cup '98 system as well as the engine for the [www.france98.com](http://www.france98.com) Web site, which is expected to generate between 10 million and 20 million hits per day.

Established in early May and hosted in Plano, Texas by EDS, there were over 70,000 hits from over 100 different countries in the first three weeks. The site is mirrored with one in Paris. "All the traffic from Europe will be directed through that site and it will provide added reliability as we get closer to the start of the event," says Hudson. "We're going to work closely with our colleagues in Cupertino [Calif.], with our PSO in France, with EDS and with Comite Francais d'Organisation (CFO)"

The World Cup represents not only a test bed for HP's products but a trial-by-fire for its global enterprise services. In fact, it's a global client-server-experiment for HP with virtually the entire world as its customers. HP, of course, is wary that the press can be cruel to those who fail at these endeavors. You may recall IBM's castigation at the pens of the press during last year's Summer Olympics.

This December, HP will be kicking things up a notch with its IT plans for "providing the best possible performance." That's why starting in December, *HP Professional* will be taking a behind the scenes peek at HP's World Cup preparations in a special monthly **HP's Countdown To Kickoff** section in HP News And Views.

-George A. Thompson, Editor-In-Chief





# KEA!X

P C X S E R V E R



## Sing beast, sing.



Trade-up from your  
current PC X server

# \$150

If you are going to tame UNIX<sup>®</sup> with X  
you need powerful connectivity software.

Like Attachmate<sup>®</sup>'s KEA!™ X PC X server.

Delivering complete Windows<sup>®</sup> compatibility and  
transparent X Window access, KEA! X has all the tools  
you need to turn UNIX into an obedient retriever. And at  
a price that won't take a big bite out of your budget.

### KEA! X Features:

- X11R6 compliant  
32 bit PC X server
- Designed for  
Windows 95
- Wizard install
- Re-usable portable  
configuration profiles  
for easy configuration  
management
- Multi-instance  
support
- Extensive fonts sets:  
X11, HP<sup>®</sup>, IBM<sup>®</sup>,  
Andrew<sup>®</sup>
- Launch one or many X  
applications from a  
single Windows icon
- Comprehensive  
documentation
- OLE Automation  
support
- World class support
- Single CD containing  
all Windows platforms:  
Windows, Windows 95,  
Windows NT<sup>®</sup>

**Call 1-800-426-6283**

[www.attachmate.com/dax.htm](http://www.attachmate.com/dax.htm)  
Source Code: 285.05

©1997 Attachmate Corporation. All Rights Reserved. Attachmate is a registered trademark and KEA! is a trademark of Attachmate Corporation. UNIX is a registered trademark in the United States and other countries, licensed exclusively through X/Open Company, Ltd. Windows and WindowsNT are registered trademarks of Microsoft Corporation. HP is a registered trademark of Hewlett-Packard Company. IBM is a registered trademark of International Business Machines Corporation. Andrew is a registered trademark of Andrew Corporation. All other trademarks or registered trademarks are the property of their respective owners.


**Attachmate**<sup>™</sup>




> INTERNET TRADING

> INTERNET BANKING

> INTERNET SHOPPING







# HOW MUCH DOWNTIME CAN YOU TOLERATE?

## > HOW ABOUT 0%?

Commerce on the Internet – trading, banking, and shopping – occurs every minute of every day of every week. Downtime means lost revenue. It also means lost customers.



Stratus and its solutions partners provide powerful technologies for a world where tolerance for downtime is zero. The Stratus Continuum® Enterprise Server comes with a 100% Availability Guarantee.

The Stratus Continuum Enterprise Server is completely compatible with your HP-UX™ applications. No recompiling or extra code needed. Getting the continuous advantage of Stratus is simple – and sensible. Find out more. Call 1-800-486-9194 or visit us at [www.stratus.com](http://www.stratus.com).

**Stratus®**  
The Availability Company


HP-UX is a trademark of the Hewlett-Packard Company.  
Stratus and Continuum are registered trademarks of Stratus Computer, Inc.

**CIRCLE 159 ON READER CARD**

<http://www.stratus.com>



# Creating Y2K Compliant Code



## POWER2000

- Contains 600+ potential Year 2000 issues
- Reports provide assessment results such as labor estimates, date issue identification and location, and work allocation
- Starts at \$15,000 per Power2000 license

### Cognos Inc.

3755 Riverside Dr.  
P.O. Box 9707, Station T  
Ottawa, ON K1G 4K9  
tel: (613) 738-1440  
fax: (613) 738-0002  
www.cognos.com

CIRCLE 351 ON READER CARD

**A**ccording to the Gartner Group (Stamford, Conn.), it's going to cost \$600 billion to fix the Year 2000 problem. The sooner you know the scope of your Year 2000 problem, the sooner you can estimate resources and costs, and the sooner you can complete the project.

Recently, Visibility (Wilmington, Mass.), producers of a manufacturing ERP system application which contains 40 modules, used Cognos' Power2000 to make their application year 2000 compliant. According to David Spellman, vice president of Visibility, Cognos was a logical choice because the application was already written in Cognos' PowerHouse and Axiant.

Power2000 allowed Visi-

bility to re-engineer the application as if it were written with the date fields originally. "It allowed us to apply a consistent methodology across all the code," explains Spellman. "We were able to re-engineer the code to appear as if it were written with appropriate date formats up front." PowerHouse Power2000 combines an understanding of the PowerHouse 4GL, mass editing capability and a knowledge base of over 600 potential Year 2000 issues.

Power2000 is a PC-based search tool designed to identify, assess and convert Year 2000 date issues in PowerHouse applications. It identifies date issues in your PowerHouse application, and automatically locates the source code that needs to be assessed for modification. The identified issues are then stored in a database.

Power2000's built-in editor lets you manually or automatically correct the issues found in the source code. The editor takes you directly to each issue. For a simple text replacement, define the text and make the replacement with the click of a button. You also can define macros to handle more complex replacements.

Power2000 contains a

built-in knowledge base of Year 2000 issues commonly found in PowerHouse applications. You also can "teach" Power2000 about unique aspects of applications by modifying the predefined issues or creating new ones. Additionally, Power2000 is designed to recognize PowerHouse language rules such as line continuation, comments and quoted strings.


Predefined reports make it easy to develop a plan for your project and monitor progress. The reports provide assessment results based on Power2000's information, including labor estimates, date issue identification and location, and work allocation. And, you can build your own custom reports. Use it to assign work to team members, analyze your application issues and track ongoing assignments. Create separate assignment databases for each team members and "check out" the assigned programs. When team members complete their work, the assignment database is merged with the main database, and the programs are checked back in.

—Deborah Schwartz,  
Associate Editor



# Do you think you have to leave your HP 3000 to get a client/server accounting system?

Fortunately, the answer is no. **FMS II**, from Mitchell Humphrey & Co., gives you all the benefits of an **open system** without any additional investment in hardware. Even better, each **FMS II** module can be



implemented in as little as four to six weeks. And if you decide to change hardware, **FMS II** is **portable** to the HP 9000 or Windows NT platforms.

The transition is seamless because the Windows user interface remains the same. So you can change your hardware without investing in new financial software or user training. **For HP 3000 users, there's simply no better solution.** Call MH&Co. at (800) 237-0028 to find out how we can help you.

## MITCHELL HUMPHREY & Co.

EXCEPTIONAL SOFTWARE FOR EXCEPTIONAL ORGANIZATIONS

11720 Borman Drive

St. Louis, MO 63146

(800) 237-0028 • (314) 991-2440 • Fax: (314) 991-5288

Web site: [www.mhco-fms.com](http://www.mhco-fms.com) • E-mail: [mhmarket@mhco-fms.com](mailto:mhmarket@mhco-fms.com)





# Another Lock In The Wall



## PYROWALL

- Checks every message source and destination, as well as message time
- Runs on Windows 3.11, Windows NT or Windows 95
- \$4,450 for one to 25 users; \$12,950 for unlimited users

### Radguard Ltd.

575 Corporate Dr.  
Ste. 407  
Mahwah, NJ 07430  
tel: (201) 236-2324  
fax: (201) 236-1757  
info@radguard.com  
www.radguard.com

CIRCLE 353 ON READER CARD

**G**lenncom Systems (Linden, N.J.) is an internetworking design firm that found the need to secure its private network information — their own corporate data as well as that of their customers — from unauthorized access through Internet connections. For Glenn Falkowski Jr., executive vice president at Glenncom Systems, securing that data was a high priority.

About eight months ago, Falkowski chose PyroWall from Radguard Ltd. (Mahwah, N.J.), a hardware-based firewall incorporating protection algorithms with an easy-to-use management system that provides complete security for private networks.

"[PyroWall] runs on its own platform," says Falkow-

ski. "You don't need an additional operating system which can run up the price." The PyroWall operates as a "black box" and requires no extra user knowledge of complex operating systems.

PyroWall safeguards networks against outside intruders and data leakage through a combination of security features and a specially designed architecture that fits easily into a network configuration. It offers additional security by keeping the management system on a separate platform.

PyroWall's advanced security features check every message source and destination, as well as message time, inspecting data up to the application layer and, if needed, searching for data fields included in the message. PyroWall is context-sensitive, thus it continually scrutinizes each fragment of every incoming message to ensure that no hackers can "sneak" between parts of a fragmented message.

PyroWall users can define the events and thresholds that will generate alarms. All network activity is logged on-board, and PyroWall can even record entire packets. When an alarm is generated, PyroWall can automatically activate a stop-forward feature to shut down all incoming and

outgoing traffic. Administrators are alerted instantly via a pager or an alarm of choice.

Radguard also provides the Wizard, a system which automatically guides users on building security policies in the PyroWall firewall. The Wizard guides the user through the toughest stage of installation: defining the security policy the user needs.

"Our goal was to automate the PyroWall installation and setup procedure as much as possible by creating a step-by-step guide for users to build a secured network protected by the PyroWall," says Eli Herscovitz, managing director of Radguard.

The security policy wizard recognizes common network setups (topologies) and graphically suggests secure setups to the user. A security policy table is then generated based on the needs and requirements specified by the user. A knowledgeable user can edit and fine-tune the generated table.

PyroWall management software runs on Windows 3.11, Windows NT or Windows 95. Price is \$4,450 for one to 25 users, and \$12,950 for unlimited users.

—Deborah Schwartz,  
Associate Editor



# HIBACK HIBARS

*Simply...  
the best*

*We specialize in  
HP-UX, MPE &  
Windows NT integration*

## The Fastest and Most Extensive Enterprise Backup Solution!

*From*

**H·I·C·M·P**

**The Innovators™ in Backup Technology!**

*New  
Data Management  
Control Center*

### HIBARS 2.02 For UNIX and Windows NT

- ✓ Central backup administration for heterogeneous networks
- ✓ Central database, may be replicated to other systems
- ✓ True client/server user interface (X-Windows, MS-Windows)
- ✓ Job scheduling rules-based or calendar-based or combination (including earliest, latest start; latest end. . .)
- ✓ Pre- and post-backup scripts
- ✓ Event notification systems (E-mail, pager, intranet, this includes notifications and log events)
- ✓ Open event interface for network and system management tools (HP ITO {OpenView} and others)

### HIBACK for UNIX, Windows NT, Novell & MPE

- ✓ The fastest backup utility available on UNIX and NT - backup to multiple devices simultaneously
- ✓ Client/server based backup and retrieval system; control remote nodes from one workstation
- ✓ Reliable, flexible and scalable; a true enterprise backup solution
- ✓ True client/server user interface (X-Windows, MS-Windows)
- ✓ Data compression and encryption at the client level
- ✓ Backup either in filesystem mode for ease of retrieval or raw disk mode for speed or via pipe for on-line backup
- ✓ Supports wide range of storage devices (DLT, DDS, Exabyte, tape, autoloaders, MO jukeboxes, StorageTek)
- ✓ On-line backup for many database management systems (Oracle, Informix and others)
- ✓ SAP R/3 certified interface

*New  
Version*

#### Enterprise Backup / Archival Software

HP-UX • Solaris 1 & 2 • AIX • SGI • Digital UNIX • MPE • Windows NT/95 • Novell • and Others

**H·I·C·M·P**  
**AMERICA, INC.**

P.O. Box 2959 • Spring TX 77388-2959 • USA  
(800) 323-8863 • Fax (281) 355-6879

[www.hicomp.com](http://www.hicomp.com)

**H·I·C·M·P**  
HINRICH  
&  
HINRICH  
G M B H  
**H·I·C·M·P**

HINRICH & HINRICH GMBH  
GRÜNDGENSSTRASSE 16  
D-22309 HAMBURG  
PHONE: +49 40 63809 - 0  
FAX: +49 40 63160 04  
[www.hicomp.de](http://www.hicomp.de)

**hp** HEWLETT  
PACKARD  
**Channel  
Partner**

**SAP**  
**R/3** COMPLEMENTARY  
SOFTWARE  
CERTIFIED INTERFACE



# It's The End Of The World As We Know It

That's great, it starts with an earthquake, data and backups, technology — sys admin is not afraid. *Forget the data. Forget backups. Forget technology.* Eye of a hurricane, listen to your bits churn — IT serves business needs, don't misserve your corporate needs. *The business of IT is business. Nothing captures that idea more powerfully than a disaster.* Tell me about recovery, and the way to do things right — *There has been a big move lately toward getting business processes into recovery plans.*

It's the end of the world as we know it,  
and I feel fine.

Welcome to the brave, new, network-centric world of Business Recovery Services (BRS). Also proactively called Business Continuity Services (BCS), BCS/BRS replaces what in the glass house was referred to as Disaster Recovery Services when backing up a mainframe-based data center was sufficient. Then, disaster recovery meant backing up data to tape, storing tapes offsite and contract-

ing for "hot site" recovery areas where data could be loaded from tape and replayed on systems that mirrored those that the data center used.

It's not that customers are having any more disasters than before, "it's because they are defining disasters differently," says Bill Cronin, worldwide

program manager for HP's Business Recovery Services. "They used to be able to work with a 48-hour outage, and now they cannot live with a two-hour outage."

So, if you think that "7x24x365" represents the dimensions of your data center, you had better get a grip. It represents how often your data, your system and your support needs to be available. Namely,

*James R. Dukart*



"IBM has recovery facilities worldwide and offers a full range of business recovery services. The company continues to expand current service offerings and adds new services based on trends and changes in the marketplace ... IBM has serviced diverse industries, providing a wide range of expertise and understanding of many environments and operations."

International Data  
Corporation  
November 1996

# Because your business knows no limits, neither does ours.

## *Total Business Protection from IBM®*

Whether you're a local company or a highly networked global enterprise, IBM has the expertise and the worldwide resources to provide total business protection strategies and leading-edge recovery capabilities, including:

- Electronic backup
- Web site and call center recovery
- Anti-virus and Internet security
- Risk and crisis management
- Alternate sites to resume operations

By focusing on your vital processes and critical data, IBM's business recovery services enable you to support your customer continuously and seamlessly, regardless of the disruption or situation.

Secure your business with the worldwide leader in total business protection - IBM. Call 1 800 599-9950 to receive a detailed copy of the IBM Business Protection Model, and visit our web site at: [www.brs.ibm.com](http://www.brs.ibm.com)

  
**IBM®**



every day, all day and all year.

"Now you have these huge integrated transaction processing support systems — plus a huge data warehouse. You have to back them up and restore them in a reasonable time frame," says Rich Frank, vice president for distributed systems at Comdisco Continuity Services (Rosemont, Ill.).

"The first thing that needs to be done is to understand the customers' business," says Frank. "We have to know who they are and how they make money; what the critical revenue producing systems are and what their customer interface system looks like because customers want a predictable interface into their business supplier."

According to Beverly Canfield-

Woods, manager for worldwide recovery services for Digital Equipment Corp., "Many companies or business units require recovery within a few hours. The healthcare and pharmaceutical industries, she says, are indicative of this trend, where the loss of a couple of hours of evaluation time in a drug trial can delay clinical approval."

"[Business continuity] is becoming [evident] as the Internet becomes more popular," adds Donna Scott, research director for systems, network management and security at the Gartner Group (Stamford, Conn.). "Particularly if you are moving into some sort of electronic commerce capability. Recovery planning has to be end-to-end. Today, you must recover things

in a synchronous fashion."

## How Do You Cope?

First, determine what data is absolutely critical for the resumption of business. John Painter, marketing manager for business continuity services provider Computer Solutions Inc. (Orange, N.J.), says this determination is usually made early in a discussion about recovery services — usually as soon as a client hears the total price tag for an immediate, full recovery.

Because clients want to restore everything in their current production mode, "when we get back to them with a price, they fall off their chair," says Painter. Of course, every user thinks their application cannot be down. But if you look closely, you can find some things you can do without — for a short time at least.

"Planning helps determine what kind of data you really need," states HP's Cronin. "A financial house might need to have immediate access to very current data. But on the other hand, if I am a mail-order house and I have an inventory of T-shirts and my system goes down, I might be able to survive a bit longer without knowing just how many T-shirts I have."

"The consulting piece is definitely starting to outweigh the processing requirements," says Digital's Canfield-Woods, adding that continuous interaction with clients is the only way to embark upon and maintain effective recovery plans.

One of the main ways you can evaluate and rank critical systems is through the revenue they bring in. Estimates by the Contingency Planning Research Group (White Plains, N.Y.) show that an hour of downtime at a financial brokerage operation can cost more than \$6 million dollars, while the inability to authorize credit cards for purchases can cost a business up to \$2.6 million per hour. By comparison, an air reservations system that goes down can cost \$89,500 per hour, or more than \$2 million in a 24-hour period.

## Practice Makes Perfect


Plans must also be rehearsed periodically, says Cronin, at least as frequently as

## RECOVERY BY THE NUMBERS

**A**ccording to a survey commissioned by Comdisco Continuity Services (Rosemont, Ill.), there are serious questions about how the growing corporate reliance on the Internet, intranets and WANs may be increasing exposure to corporatwide system disruptions. Based on interviews with more than 200 of the largest users of technology (average revenue \$2.5 billion) in the United States, Canada and the United Kingdom, the survey found the following:

- Only 25 percent of the companies surveyed have a detailed written recovery plan or a testing and evaluation program for network recovery.
- Thirty-seven percent of companies are currently using the Internet or intranets for mission-critical applications.
- Forty-nine percent of the companies plan to use the Internet as a vehicle for conducting electronic commerce.
- Only one in three companies with formal disaster recovery plans include multiple geographic locations in their recovery plans.
- Only 45 percent of companies have a formal disaster recovery plan in the event of a disaster.
- Only 12 percent of organizations have an effective enterprise recovery plan.
- More than one in two companies have experienced a business interruption. Although organizations with plans are no less likely to experience a disruption, they typically experience shorter disruptions than those without a plan.
- The median length of a disruption for companies with disaster recovery plans was six hours; companies without a disaster recovery plan had a median disruption length of 10 hours.





## What disaster?

**Relax. Even though your mission-critical data is now all over the network, it's still as safe as ever.**

**Because we provide business continuity services for distributed heterogeneous environments—no matter how distributed, no matter how heterogeneous.**

**Which means we can design a recovery program that covers all your systems and all your applications. NT to UNIX, Enterprise Apps to You-Name-It.**

**So if anything happens, heaven forbid, you'll be back in the groove in no time. And everything will be as it was before.**

**Your systems, your networks, your flexibility, your peace of mind.**



*To learn more, visit [www.comdisco.com](http://www.comdisco.com) or call 1-800-272-9792.*

**MANAGING TECHNOLOGY IN THE FACE OF CHANGE**  
**ASSET MANAGEMENT • BUSINESS CONTINUITY • NETWORK SERVICES • LEASING**

**CIRCLE 180 ON READER CARD**



a company changes technologies or updates applications, but ideally more often. The key is to have a plan that not only anticipates possible disasters, but also provides for the smooth continuation of the business.

Another key element to planning involves determining the mix between traditional "hotsite" recovery; data vaulting or electronically mirroring data at another location; drop shipping replacement equipment; and remote recovery, where a truck loaded with equipment can come to a disaster site and provide a temporary solution. "In the past — in the hotsite business — it was just an annual contract. Now, you cannot provide a contract for disaster recovery for a client and then walk away from it for six months," says Canfield-Woods.

But prioritizing data and getting the right technology and services mix is the easy part. Changing how people think about disaster or business recovery services is more difficult. "In the old days, it was all about systems recovery in the IT world. Now it's becoming more and more about strategies for staying in business no matter what happens," according to Belinda Wilson, a senior technical consultant with HP's Professional Services Organization (PSO).

The stakes can be even higher than lost revenues, Wilson notes. According to a study by the University of Texas, only 6 percent of companies suffering from a catastrophic data loss survive, while 43 percent never re-open and 51 percent close within two years.

Wilson notes another reason for the recent growth of business recovery services — deregulation. She says deregulation in industries like telecommunications and utilities means that companies not concerned about disaster recovery in the past are now spurred by competition to have a plan in place. In the United States, Digital has begun to engage in alliances with major telecom companies to provide remote backup rather than hot sites.

"The ability to occupy a hotsite is only half of the solution. Once you are in there, you are operating at less efficiency and greater cost than you were

## HP HA SOLUTIONS: IT'S AN UP THING

**W**hen HP introduced its pre-bundled Domain Internet Servers this past September, the technology got all the buzz. But for IS managers building e-commerce solutions and supply chain management infrastructures over the Internet, uptime rules. So, listen up. HP also introduced the HP 9000 Mission-Critical Server Suites program with High-Availability (HA) Foundation Configurations guaranteeing 99.95 percent uptime for HP Domain Business-Critical High-Availability Server Solutions. According to HP estimates, you can limit your downtime to just 4.5 hours annually. That's compared to the industry standard of 99 percent or 3.5 days. The HA Foundation Configurations are as follows:

- A High-Availability Solution Plan (HASP) up through the OS developed with implementation input from IS managers and your HP sales team.
- Two HP 9000 K460 Enterprise Servers mirrored for high availability. D380 and T600 HA Foundation Configurations will be available in December, and two additional configurations based on the high-end V2200 and the K570 will be available in early 1998.

Additional components include HP's HA storage solutions and industry leading HA middleware, as well consultative implementation services and fast track, proactive support services based on HP's enhanced Critical Systems Support for ongoing proactive and reactive support services.

Pricing will vary depending on selected components and options as well as the number of HA Foundations in an environment. The starting list price for the initial K460 midrange HA Foundation Configuration is \$650,000.

To build your HA Domain Solution, order the HP HA Foundation Configuration, appropriately sized for your business requirements, with one of the Domain Software Solution packages. For more information on the HA Foundation Configurations, go to the Mission Critical Server Suites Web site at [www.hp.com/go/ha](http://www.hp.com/go/ha).

On the Wintel side, HP NetServers will be getting into the HP Domain HA act by mid 1998. At that time, HP will provide configurations based on two mirrored HP NetServer LH Pro, LX Pro, LXE Pro or LXr Pro servers running MSCS (formerly known as Wolfpack). Also included are industry-standard LAN connections, shared SCSI which enables servers to access storage subsystem and a "private heartbeat" line allowing the servers to communicate their status. An automatic "failover" moves applications and transfers resources within 30 seconds if one server fails; an automatic "failback" option reverts to original server once available.

before the disaster," according to Bruce Saulnier, Americas business recovery services manager for Digital Services. "The question then becomes: How do you get back to where you came from?

We are trying to keep people out of a hotsite by providing for continuous operations of mission-critical services."

"You now have competitors where there were none before," HP's Wilson



says, citing studies that say customers generally accept interrupted service due to a disaster for no more than 72 hours. "In the past, though, where could you go? Today, if I have a choice and my service goes out, I may get mad and go elsewhere." The banking industry, she notes, has always been a bit of a special category because they have been required by law to have disaster recovery plans.

But HP's Cronin adds that he has seen a new twist in recent years. Many banks are beginning to require recovery plans before they grant loans to certain categories of business. The result is a growing market for complete recovery solutions, says Bob Bronner, executive vice president for SunGard Recovery Services (Wayne, Pa.), a recovery specialist that features seven HP T500s at its Chicago and Philadelphia hotsite locations. Bronner explains that SunGard also is promoting use of its disaster recovery facilities and testing centers across the country for companies who want to run Year 2000 tests on their systems

BRS is becoming a very hot topic in industries like healthcare and manufacturing, according to Stephen Higgins, marketing director of Business Recovery Services for IBM Global Services (Sterling Forest, N.Y.). "We're getting a lot of medical and healthcare firms," Higgins says. "They cannot afford to have any downtime on patient information. You also have automobile manufacturers going to just-in-time manufacturing, meaning that they are demanding that their suppliers have recovery systems so that the parts they are expecting show up on time."

IBM's BRS unit currently provides business continuity services for companies ranging from Baxter Health Care to Federal Express to Texas Instruments. One IBM BRS client Bill Douglas, senior vice president for Nation's Banc Services Inc. (Dallas, Texas), says he has seen a growing awareness of business recovery considerations outside IT departments. "As we go through and do a business impact analysis, we have the business units participate in this process,"

# "HP

*is reselling PATROL® technology and products because of the tight integration BMC Software is*

*delivering through the HP OpenView enterprise solutions. Together, HP OpenView and PATROL provide the highly desired complementary functionality that our customers need today in the areas of application and data management."*




Johnnie-Mike Irving, General Manager  
HP Professional Services Organization  
for the Americas

Top industry leaders are relying on PATROL for a reason.

To find out why visit us on the Web at: [www.bmc.com/patrol](http://www.bmc.com/patrol)

Or call today: 800 811-6766

**BMC**  
**SOFTWARE**  
[www.bmc.com/patrol](http://www.bmc.com/patrol)



BMC Software, the BMC Software logos and all other product or service names are registered trademarks or trademarks of BMC Software, Inc. in the USA and in other select countries. ® and ™ indicate USA registration or USA trademark. Other logos and product/trade names mentioned are registered trademarks or trademarks of their respective companies. ©1997, BMC Software, Inc. All rights reserved.

CIRCLE 411 ON READER CARD

HP3000 • TRAINING • NEW • USED • FULL WARRANTY

# HP 9000

## LEADER

X TERMINALS  
PLOTTERS

PRINTERS  
DAT • UPGRADES

OEM • 700's  
DISK • 800's

BUY • SELL • RENT • REPAIR • PARTS

# 1 800 553 0592

FAX 612 476 1903

Website: [www.wpdi.com](http://www.wpdi.com)

Email: [info@wpdi.com](mailto:info@wpdi.com)

Established 1987

**WORLD**  
**DATA PRODUCTS**

**RS 6000**



Member:  
ASSOCIATION OF  
SERVICE AND  
COMPUTER  
DEALERS  
INTERNATIONAL



121 Cheshire Lane, Minnetonka, MN 55305

CIRCLE 405 ON READER CARD

[www.hppro.com](http://www.hppro.com) 23



## RECOVERING FROM A BAD DAY WITH WINDOWS NT

**A**lthough most companies today use Windows NT for basic productivity applications such as file and print sharing, database applications and e-mail, Forrester Research (Boston, Mass.) predicts the platform will move into core business applications such as data warehousing, systems management and transaction processing by 2000. A growing reliance on NT will make these challenges more apparent, particularly as those applications are entrusted to the new operating system. According to the Gartner Group, "1997 will be a pivotal year as experimentation and planning turn into true business-critical deployments of NT — some successful, some not."

With overall demand for NT increasing, there's a parallel demand for NT recovery services. Dataquest predicts that the worldwide market for Windows NT services and support will reach \$12 billion in 2000. In-house IT staff members and outside suppliers of NT recovery services face a new world with NT, which is quite different from UNIX.

The challenges of recovering NT systems range from the arcane to the mundane. They include:

- General lack of in-house experience with NT
- Specifically, lack of experience loading the operating system from scratch
- Incomplete documentation of the NT installation
- Keeping up with revisions to the operating system
- Complexities of recovering mixed UNIX/NT environments

Financial services organizations, which use NT for stock trading, and manufacturing companies, which rely on it for warehouse logistics, are adopting NT more quickly than others. For these kinds of industries, recovering systems is crucial because of the high cost of downtime. Contingency Planning Research (Livingston, N.J.) says the average cost of downtime for retail brokerage operations is \$6.45 million per hour. On the other hand, Find/SVP (New York, N.Y.) reports that the average financial loss per one hour of disk array downtime in a manufacturing company is less dramatic, but certainly significant, at \$26,761 per hour. Across industries, the average cost per outage is \$330,000. The average outage lasts four hours, and there are nine outages per year on average, according to a Find/SVP survey of 450 IT executives with Fortune 1000 companies.

As in any environment, the interruption of NT operations can occur at any time and can be caused by anything

from equipment malfunctions to operator error to natural disasters. To recover, particularly if the NT or UNIX/NT environment is used for business-critical applications, requires in-depth NT knowledge and expertise, the ability to keep up with the latest NT technology and quick access to multivendor hardware.

The first of those requirements, NT knowledge and expertise, can be hard to come by in today's downsized IT organizations. Streamlined staff may simply not have the resources to keep a Windows NT environment — which is not as familiar as UNIX — up and running. Further complicating the matter, vendors often provide the operating system's initial configuration and startup as part of a turnkey solution, which means the IT staff has no experience installing or configuring NT. In addition, recovery tools and scripts that have been tried and tested for UNIX and other environments are not yet readily available for the NT operating system.

Networking technology is changing so rapidly that it is doubly hard for overextended in-house staff members to stay current on NT. And unfortunately, companies that do have the expertise often shunt those resources to projects considered "more important" than recovery. Even with NT knowledge, the in-house staff's access to the multivendor equipment potentially needed to restore a mixed environment usually is not sufficient to provide rapid recovery.

To minimize risk in case of an NT system failure, a growing number of companies are turning to third-party recovery services providers like HP, Comdisco Continuity Services (Rosemont, Ill.) and SunGard Recovery Services (Wayne, Pa.). HP offers a suite of consulting and backup services that include the local technical assistance necessary for a speedy recovery. The company's Business Recovery Program includes HP Business Recovery Planning, HP Backup and HP Backup Express. Included are services to analyze, rehearse and role-play disasters, and options for quick-shipping hardware to clients within 24 hours of a disaster. A unique relationship between HP and Microsoft keeps HP updated daily on new Windows NT software patches and revisions, ensuring access to critical information that can reduce the customer's time to recover. The relationship also gives HP direct access to Microsoft Lab, something the average company does not have through the in-house IT staff.

*—Bill Cronin is marketing manager with HP's Business Recovery Services.*



Douglas says. "In the old days — a year or two ago — it was only the technology folks who did this. We now ask the business units what the critical periods of time are and what the exposure to their bottom line is. Then we look at the different levels of recovery solutions that are available to them to recover within those windows."

For those not yet convinced that a business recovery plan is a necessity, Cronin offers both a carrot and a stick: "You can look at it as a competitive advantage," Cronin says. "We are doing this and our competitors are not, so who will win out when something bad happens? Some estimate that it takes \$1 to service an existing customer, \$7 to gain a new customer, but \$50 to regain a customer that you have lost. People don't always think about what it takes to get back those you have lost. But it costs a lot."

—James Dukart is with the Washington News Bureau.

Would you like to continue to see articles on this topic?  
Circle on reader card yes 350 no 349

#### COMPANIES MENTIONED

##### Comdisco Continuity Services

[www.comdisco.com](http://www.comdisco.com)

CIRCLE 342 ON READER CARD

##### Computer Solutions Inc.

[www.internetcsi.com](http://www.internetcsi.com)

CIRCLE 341 ON READER CARD

##### Contingency Planning Research

CIRCLE 340 ON READER CARD

##### Digital Equipment Corp.

[www.digital.com/services/oms/oms\\_focus.htm](http://www.digital.com/services/oms/oms_focus.htm)

CIRCLE 339 ON READER CARD

##### HP Business Recovery Services

[www.hp.com/go/recovery](http://www.hp.com/go/recovery)

CIRCLE 335 ON READER CARD

##### IBM Global Services

[www.brs.ibm.com](http://www.brs.ibm.com)

CIRCLE 337 ON READER CARD

##### SunGard Recovery Services


[www.sungard.com](http://www.sungard.com)

CIRCLE 336 ON READER CARD

# "SAP

*believes that PATROL® currently offers one of the leading solutions for in-depth monitoring and management of R/3.*

*It is important that our customers have management tools like PATROL that can ensure optimal performance and high availability."*



Dr. Arnold Niedermaier,  
Technology Marketing  
SAP AG

Top industry leaders are relying on PATROL for a reason.  
To find out why visit us on the Web  
at: [www.bmc.com/patrol](http://www.bmc.com/patrol)  
Or call today: 800 811-6766

**BMC®**  
**SOFTWARE**

[www.bmc.com/patrol](http://www.bmc.com/patrol)

BMC Software, the BMC Software logos and all other product or service names are registered trademarks or trademarks of BMC Software, Inc. in the USA and in other select countries. ® and ™ indicate USA registration or USA trademark. Other logos and product/trade names mentioned are registered trademarks or trademarks of their respective companies. ©1997, BMC Software, Inc. All rights reserved.

CIRCLE 131 ON READER CARD

## Make Performance Tuning Easy With SarCheck™

### Understand exactly what's happening!

SarCheck translates pages of sar output into a plain English report, complete with system tuning and hardware upgrade recommendations.

### Maintain full control!

SarCheck fully explains each of its recommendations providing you with the information you need to make intelligent, informed decisions about your system.

### Plan for future growth!

SarCheck's Capacity Planning feature helps you to plan for growth, before slow downs or problems occur.

**Now available for HP-UX versions 9.04+ and 10.x — call or fax today!**  
(SarCheck for HP-UX 9 is available on 800 series only)



**AURORA**  
**SOFTWARE INC.**



PO Box 1033 Plaistow, NH 03865  
Voice (603)382-4200 Fax (603)382-4247  
<http://www.sarcheck.com>

CIRCLE 181 ON READER CARD



# The Nightmare Before Christmas



**I**t will affect you. You can't ignore it. By Christmas 1997, there will be 736 days until the Year 2000. Your nightmare is just beginning.

Only one out of every five enterprises will have addressed the Year 2000 date change by the end of 1997. And 50 percent of all companies in the world will still not be Year 2000 compliant by the end of 1999. That's what analysts at The Gartner Group (Stamford, Conn.) are predicting.

Gartner estimates also show that companies will spend between \$300 and \$600 billion between now and the end of the century to address date change issues. Most of that money is going to be spent within a narrow window: 1998 to 2000. Says Kevin Schick, analyst for the Gartner Group, "Many companies are still in a stage of 'denial' and do not want to commit major resources to a problem as large as this."

Using Gartner's oft-cited figure of \$1.10 per line of code to find and fix date calculation errors, a company with a medium-sized inventory of 8,000 programs — each averaging 1,500 lines of code — has more than 10 million lines of code to review. A \$10 million dollar review and repair bill for Year 2000 date changes may not be out of the question for such a firm.

## TRICKS OF THE Y2K TRADE

There are essentially three basic strategies companies can use to address date code changes:

**Rework Existing Systems.** Usually this involves dedicating considerable staff and management resources to seeking out, changing and testing code. This approach takes advantage of existing programs, but may turn out to be very costly in terms of the time and the programming expertise needed to do the work. In addition, because there is still a great deal of basic code written in languages such as COBOL, it may get increasingly difficult to locate, train and retain anyone with enough COBOL expertise to be effective at ferreting out date codes in legacy systems.

**Replace Systems.** Unfortunately, this may not be a completely successful end run around the costs of reworking systems, because replacement implies systems migration, which requires talented and experienced programmers and testers savvy on both the new systems a company is deploying as well as the older systems from which a company is migrating.

**Outsource Date Changes.** Outsourcing firms will be similarly hard pressed to come up with the resources needed to effectively meet the demands of businesses over the next two years. Outsourcing also means that companies are entrusting systems to those people outside the enterprise. With cycle timeframes growing increasingly short, some companies may be weary of handing the reigns of critical business processes to outsiders. This is hardly a "magic bullet" strategy either.

## KEEP THE LIGHTS ON

Wisconsin Power & Light (WP&L; Madison, Wisc.), a natural gas, water and electricity utility in south and central Wisconsin, was prompted by upcoming Year 2000 concerns to migrate its Customer Information System (CIS) from legacy mainframes to open systems on Year 2000-ready software. The utility worked with HP's hardware division and Performance Center (Dallas,

YEAR  
2000

James R. Dukart



Texas) to test changes before it went live, and used the services of HP Cure2000 partners I-Cube for legacy migration and development and Cambridge Technology Partners (Cambridge, Mass.) for consultancy and executive and management education.

WP&L's initial objective of Year 2000 compliance was achieved early on, according to CIS Director Linda Taplin-Canto. But expectations have been exceeded by other gains, including a new, flexible open system; a growth path that includes possible cus-

**Companies will spend between \$300 and \$600 billion between now and the end of the century to address date change issues.**

tomers interaction over the Internet; and new billing services that are particularly attractive to some WP&L's biggest energy customers.

Perhaps the best way to get going on the Year 2000 issue is to view it as an opportunity to do things you might have wanted or needed to do anyway. Many organizations spend as much as 70 percent of their IT man hours updating and maintaining legacy systems.


And legacy applications don't offer much in quick enhancement flexibility. "Realistically, if you have mission-critical applications that are not in place by the Year 2000, they had better be fixed soon, or the business is out of business," sums up Gartner's Matt Hotle. "The time to act is now, and it's been now for some time."

—James Dukart is with the Washington News Bureau.

Would you like to continue to see articles on this topic?  
Circle on reader card yes 346 no 345

## Don't mess with the millennium bug— take your best shot! Here's your automatic weapon **ADAPT/2000**

One tool *addresses all the needs and automates all key phases* of year 2000 projects, with built in RAD and code re-engineering capabilities that will provide value *beyond the year 2000*.



**Allegiant Legacy Solutions**—one company that provides a full range of year 2000 services including year 2000 project management, turnkey impact analysis and remediation.

**Call us now for your ammunition at  
888-YR2K ALS (888-972-5257)**



**Bringing Legacy Applications into the 21st Century**

11025 Reed Hartman Highway, Cincinnati, OH 45242

Phone: 513-984-1822 • 888-YR2K ALS (888-972-5257) Fax: 513-984-2438  
E-Mail: [gluntz@iglou.com](mailto:gluntz@iglou.com) • Web Address: <http://www.allgnt.com>

CIRCLE 145 ON READER CARD



# Co-Creating A Data Management Solution

## *GTE Government Systems Launches PDM System In Comprehensive Re-Engineering Effort*

"We have a commitment to our customers to provide quality systems with time to market at the lowest possible cost," says Charlie Ross, project manager for information technology at GTE Government Systems Corp. (GSC; Needham Heights, Mass.). So, GSC, a part of GTE, the largest U.S.-based local telephone company and the leading U.S. cellular service provider, began a product data management (PDM) process that dra-

matically altered the way GSC managed internal information.

For the uninitiated, PDM is a tool for managing engineering data, allowing businesses to control costs, enhance internal communication, minimize errors and be more responsive to customers. "GSC also has an internal commitment to communicate research and development information across the company. The integration of a top-of-the-line PDM system allows us to address both commitments at the same time," says Ross.

### **ADDRESSING MULTIPLE GOALS**

GSC had to address two immediate business needs: reducing IT costs and re-engineering the control and distribution of CAD data. "We wanted to move to a more cost-effective technology,

and at the same time to standardize our database infrastructure. To do that, we needed to move our product data from the mainframe and integrate more tightly with CAD and imaging."

So, the mainframe was decommissioned and migrated to a UNIX client-server technology to achieve the significant cost reductions. At the same time, Ross and his team looked for a PDM product that would meet both the manufacturing and engineering needs.

Because GSC creates highly sophisticated systems using new designs, data from their existing systems and off-the-shelf products, Ross explains that customization is "key to each of our customer applications. We can produce highly complex systems that will fit a specific need." So, CoCreate Precision Engineering WorkManager PDM software was chosen on the basis of vendor reputation and product flexibility.

### **TRACKING THE DATA**

CoCreate WorkManager is based on a straightforward process. It keeps data secure in an electronic "vault," and puts references to data into an online "packet" for routing to various team members for design, analysis and final approval during product development. Then, it releases the latest data back to the vault.

The vault, an electronic depository, facilitates sharing of data from previous designs as



*GTE Government Systems Corp. is a leader in telecommunications, information and intelligence systems, electronic defense systems and systems integration for defense, civilian and commercial markets in the United States and abroad.*



product development teams launch new projects.

There's now a smoother flow of information among engineers enhancing design, procurement and production. To that end, the CoCreate WorkManager installation at GSC has two "personalities": CAD Data Control and Engineering Data Control (EDC) that share a common database. As the system is further integrated, these two personalities will be merged into one, which will be accessible across all GSC locations. GSC employs 7,000 people, 2,655 of whom are engineers and scientists, at more than two dozen principal facilities and field offices around the country.

Already, EDC has slashed the number of user screens from 70 to about 25. "That simplifies our process," says Michael Cooper, a PDM engineering manager. "Engineering Data Control was the replacement for the mainframe meta data system. We have added enhancements, like being able to print bills of material from the desktop. Having these functions available is essential now that we are putting actual drawings online."

In June 1996, GSC's Mountain View, Calif. division loaded electronic images of its active drawings into a WorkManager-controlled repository. This allowed the division to shut down its aperture-card-based print facility. "Our new Technical Data Center uses 75 percent less space," says Cooper. "We're accruing significant savings. We'll be implementing a similar system for two more divisions. [And throughout] 1997, we'll phase in fully-electronic document distribution to the desktop."

On the CAD side, a main goal was to standardize how data was passed from one person to another. Cooper recalls piles of paper — memos, distribution lists, sign-off sheets — used to control data "the old way." "When a designer had a file that was ready to be

worked on, notification was usually made with a phone call," he says. "Occasionally, the wrong file wound up on the factory floor."

"Now," he says, "our CAD data control system has a management system built in. It provides a simple, high-quality release system and approval cycle. That has saved an enormous amount of time for the tracking, storage and retrieval of files. The hardware design process is entirely integrated, from the electrical design environment to the manufacturing side."

### AUTOMATIC INTEGRITY

A user submits a design/manufacturing data package by creating a packet, which houses all project designs and documents. The packet is routed electronically to a manager's online "in

than an hour, with a minimum of human intervention (about five or 10 minutes). Once the design is released, it is routed to a lead project engineer for approval. An e-mail message is sent out to interested parties, including operations people who will make use of the data for manufacturing.

Because all engineering data is stored in one location, it becomes a simple matter for engineers to locate and retrieve existing data for revisions or the development of new projects. "This ability to retrieve existing data gives us greater consistency and accuracy in the structure of the data and in the resulting product," says Ross.


"At the back end, we can create an archival tape directly from the PDM," says Ross. "We built a screen that shows everything that has been released

since the last archive. The administrator can choose what he wants to archive and make a tape. Before, an administrator would come in once a month and spend six or seven hours pulling designs from all over the network to create a tape. Now it takes about 45 minutes."

The new PDM system is already making a significant contribution to the company's ability to respond to a competitive commercial environment. "It helps us with time to

market, because it provides a faster, higher-quality method of designing and retrieving existing data for reuse," says Ross. "As a leader in the industry we are always striving to provide our customers with the best possible product. That means streamlining our processes and maintaining our product integrity."

CoCreate Software Inc. can be reached at 3801 Automation Way, Fort Collins, CO 80528; (970) 206-8000; [www.cocreate.com](http://www.cocreate.com).



Engineers at GTE Government Systems Corp. use CoCreate Precision Engineering WorkManager PDM software to query for CAD data that will allow them to rebuild a file or develop a new project.

basket" for approval. "Previously, if an engineer wanted to create a snapshot of a 200MB CAD database for routing, we had to contact electrical CAD support experts," says Ross. "They had a 48-step manual process that would take three or four hours to get through, all to give the equivalent level of integrity that we have built into our current system."

Now, when a design is ready for release, the user can initiate automated quality checks and release the design through the CoCreate WorkManager system. The entire process takes less





# My Disk Runneth Over

once spent an evening in a crowded bar with a beer drinker (let's call him Spunky) whose consumption was

limited only by how fast the server could deliver beers. On the other end of the beer drinking spectrum, it takes me quite a while to finish just one, so delivery time doesn't matter.

Later that night, Spunky got smart. He called over another server and ordered a beer. He then had two servers providing a delivery throughput closer to his consumption ability. I didn't need the advantage of a second delivery system, as the delivery was already faster than consumption.

What does drinking beer have to do with computers? More than you think, if you think of beer as data, and of the service people as the I/O system. Then, think of the consumers (Spunky and myself) as the systems.

Here's the point: it's a tremendous waste to have a system that can process data faster than the I/O system can deliver it. On the other hand, if you are limited by the system speed (my slow sipping) and memory (remember, it was beer), a faster I/O system will do you no good. That night, Spunky did some I/O system enhancing (the second server), and was able to increase total system throughput. But I hope he took a taxi home.

The analogy itself, however, demonstrates a sobering disk I/O system performance issue which can be broadly summarized into two categories: data access speed and efficiency of utilization.

Data transfer speed can be looked at

in two ways: system total and per process rates. For workstations, the per process rate is more important than the system total, as they typically are trying to accomplish a single task as quickly as possible. Think of Spunky. For a multi-user system used for various purposes, with many different tasks all needing to be done quickly, system total is more important. Luckily, enhancing one usually enhances the other.

However, there are some exceptions. A good example is the disk buffer cache. The disk buffer is an area of memory set aside to store recently accessed data in the hope that it will be needed again soon. In the case of a system that is accessing large amounts of data to perform large computing tasks, the disk buffer is not very important. Data is not accessed repeatedly very often.

With this type of system usage, that memory might be better used for normal paging. On the other hand, a system that is used by many people performing similar tasks (data entry and software development come to mind), data, like programs, is often used over and over. Therefore, a large disk buffer cache amount might save many disk accesses. Luckily, when you go to HP-UX 10.x, the disk buffer is dynamically sized, so we don't need to deal with it as much.

If you do, the minimum and maximum sizes of the disk buffer can be adjusted with kernel tuning parameters.

By far, the biggest effect on I/O throughput is the hardware. Disks, controllers, drivers and the system I/O bus vary greatly in performance. There is no reason to have disks that can deliver twice as much data as the system bus can move it. Newer HP boxes have very fast I/O buses, so it makes sense to get the data to the bus as fast as possible.

Many of the older systems will show no system throughput increase with today's faster disks, as a single disk can overload the bus. Assuming that the system can handle the data, faster disks using multiple controllers can really increase data access speeds. Multiple I/O buses can make things even faster.

For example, let's assume an older machine, with three disks on one SCSI daisy chain. At first, it might seem that if we put three controllers in the system (if it can support it), then one disk per controller speed would be higher. It probably would, but not by much.

If this was a newer system with the newer faster buses, we would have seen a great increase in data access rates. Be sure to match disk speed to controller speed to bus speed. If a controller can only handle 5MBps, and the disks can send 6MBps, you would be better off with one controller per disk. But if the system bus was not much faster than the controller transfer rate, there is not much sense in having multiple controllers.

If you have three disks on one controller, each with 4MBps rates, and the controller can only do 5MBps, you would be better off buying a 20MBps controller than two more 4MBps controllers (or a faster system with faster controllers, if that system cannot have the SCSI controller upgraded).



The new  
**HP-UX**  
portable  
workstation.  
precisionbook  
from RDI.



Now you're free to take Hewlett-Packard PA-RISC processing power wherever you go. PrecisionBook™ combines a 160 MHz processor with up to 512 MB memory to deliver true HP VISUALIZE B-Class functionality at work, at home or on the road. And you'll be dazzled by the graphics on its generous 14.1" active-matrix LCD monitor. Discover a new way of working. Discover PrecisionBook, from RDI.

r d i

[www.rdi.com](http://www.rdi.com)  
800.734.5483

CIRCLE 159 ON READER CARD



workstations

for a mobile world





Bottom line: Before you spend money, be sure all components are matched in speed, that the system bus can handle the controller speeds, and that the controllers can handle the disk speeds.

### **iostat: A BALANCING ACT**

If we put money aside, an important consideration is disk I/O system balancing. This covers many issues, among the biggest are data distribution and disk block sizes. Data distribution means attempting to balance the load among the systems disks and disk controllers. In order to do this, you need to see what the transfer rates are per disk and per controller.

This is easily accomplished with the **iostat** command. It reports disk transfer rates for all disks on the system (by default) in kilobytes per second. You should specify a repeat interval, thus using it to gather data over longer periods of time to get an idea of the rates of

**For workstations, the per process rate is more important. For a multiuser system, system total is more important. Luckily, enhancing one usually enhances the other.**


use. Add up the rates of all disks on each controller to see the total for the controller. If you find that one disk is used very heavily and another is seldom accessed, you might consider moving some data or executables to the lightly used disk to balance the load.

This is especially important if they are on different controllers. You can usually guess what will be accessed the most. If most users of a system are developing code, they will probably use system executables often. If your users run large engineering applications, the system files will not be hit that often, but the data and application executables will be accessed very often and **//tmp**

might be used heavily. If you can, try to spread the load across the I/O system by choosing where you physically locate data.

An often misused item is the minfree amount of a disk. This can be set when the file system is created or by using the **tunefs** command later. The default is that 10 percent of the disk must remain free, non-root users will be told the disk is full when there is still 10 percent unused. The reason for this space is to allow the system to attempt to keep large contiguous areas of the disk free for use when it needs to write large data chunks.

If you drop this amount too low,





you stand a very good chance of slowing disk throughput dramatically by causing fragmentation of data. With today's larger disks, 10 percent might seem a bit excessive if you use the whole disk for one file system.

That could be true, but why would you create a file system that large unless it was to contain very large files? Large files will need large amounts of free space to keep from becoming fragmented. In other words, for best performance, leave the minfree amount set to 10 percent.

Using large block sizes allows for higher data transfer rates, but only when large amounts of data are requested at once. This occurs when applications access large data files sequentially. You can read a large file faster if the disk uses large blocks. This also can cause poor disk utilization if you have many small files.

Small block sizes allow for faster access to smaller amounts of data, such

as when applications access lots of little files, like in program development or general user access. Small block sizes are more efficient in disk utilization.

HP-UX allows fragments to be assigned, thus gaining better utilization, but with good throughput for larger files. It is a good compromise, but takes some time for the system to figure out where to put the fragments. For best total speed at the expense of efficiency of utilization, don't use fragments.

Be sure to use separate file systems with appropriate block and fragment sizes for different types of data access. Data accessed a small amount at a time, such as files read by an editor, should be on a file system with small blocks.

Large files read sequentially, such as by an engineering application that number crunches multimegabyte files for hours, should be on a file system with large block sizes. That is for efficiency of disk space utilization and improved speed. For total speed optimization,

they should be on different disks and, better still, on different controllers.

A book or a class on performance would be a good idea if you are really interested in optimizing your configuration. There are many issues not even discussed here, like disk striping, using the **sar** command to track disk information over time, **inodes** count and several other issues that I am sure astute readers will point out to me.

Considering the size of the e-mail files I expect to get pointing out the errors of my judgment, I am off to create a new filesystem with large block sizes.

*-Tap into Fred's new filesystem by sending your e-mails to [frederm@famece.com](mailto:frederm@famece.com).*

Would you like to continue to see articles on this topic?  
Circle yes 306 no 305

Can't we all get along? Multiple computer systems, peripherals and software packages. Add to that LAN and WAN connections, Internet support and increasing numbers of demanding users. Throw in a problem or two, which needs several vendors to solve. And you've got a good picture of the demands on

user productivity and control costs. We call it MidrangeOne – the single-source solution for all of your midrange problems.

IBM, Digital, Sun, Compaq, HP...you name it, we can handle them. And DecisionOne is vendor-neutral, so any support solution we recommend isn't tied to any new equipment purchases. We'll

# DecisionOne

today's midrange IS manager.

But multivendor doesn't have to mean multi-problem. DecisionOne has a suite of services...planning support, hardware maintenance, software support and management support, all intended to increase system availability, boost

work with you to diagnose your problem and custom fit a solution that's right for you.

One call can do it all. Contact DecisionOne today at **888-287-9202**. You and your midrange environment won't just be getting along. You'll be living happily ever after.

## MAINONE

Data Center  
Services

## MIDRANGE ONE

Midrange Services

## ONE TO 1

Desktop Services

## LOGISTICS ONE

Parts Repair and  
Logistics Services



DecisionOne™

[www.DecisionOne.com](http://www.DecisionOne.com)

CIRCLE 184 ON READER CARD

From data center to desktop, DecisionOne supports over 51,000 customers at more than 180,000 sites across North America.

©1997 DecisionOne Corporation. DecisionOne is a trademark of DecisionOne Corporation. All other trademarks are the property of their respective holders.





## perfmon: An NT Traffic Report

“It’s 5 o’clock and traffic seems to be inching along on the CPU highway. There’s already a 6MB

backup and no relief in sight. But, the proposed memory expansion should help alleviate this bottleneck in the future. This report was brought to you by perfmon — a utility to monitor the use of system resources via a graphical interface.”

Performance Monitor, or **perfmon**, is part of the Windows NT OS and is the primary tool to locate performance bottlenecks, benchmark system performance and identify the need for more resources, such as memory.

Performance Monitor can be run from the Administrative Tools program group. As Performance Monitor collects data about your system, it can display charts, build log files, generate reports and even send alerts.

Perfmon collects information about various hardware and software components called objects. Various measurements called counters apply to each object. Each counter can track several instances. For example, the Processor Object has counters such as Percent Processor Time and Interrupts Per Second. On a multiprocessor system, each counter can be measured separately.

### ALL ALONG THE WATCH TOWER

Perfmon can watch counters on the local computer where it is running, as well as on remote computers. Applications such as Exchange Server and Internet Information Server add

their own set of objects to allow monitoring. Perfmon tracks data in four ways: through charts, logs, reports and alerts. Charts display a visual graph of the counters on your screen. Logs contain a sequential log of activity measurements. Reports generate a summary listing of activity. Alerts watch for specific events and log the event or launch a program (see “Answering Your Page”).

Discussing all the counters you can measure with perfmon would take quite a while, so we’ll discuss a few to acquaint you with perfmon’s capabilities.

The memory on your computer is measured with the Memory Object. One of the most important memory counters is pages per second. If you are worried about low memory, watch this measure. It tracks the number of pages read and written to the virtual memory paging file on your hard disk. Page faults per second measures the number of times a virtual memory page is not in main memory.

The disk drive subsystem is measured with the LogicalDisk and PhysicalDisk objects. Both perform similar functions, but LogicalDisk makes it easier to track individual drives configured with multiple partitions. Disk performance counters are not enabled by default in NT.

To enable the counters, type

**diskperf -y** at the command prompt. The counters take effect after the next reboot. If you use stripe sets, **diskperf -ye** will enable counters on individual drives within a stripe set. Type **diskperf -n** to turn the counters off. Some of the disk counters are:

### Avg. Disk Queue Length

This counter measures the average number of read and write requests that were queued for the disk. This is an indicator that a disk is not keeping up with demand.

### Disk Transfers/Sec

This is a measure of the read and write operations on the disk. If this counter

**Perfmon collects information about various hardware and software components, and displays it via charts, log files, reports and alerts.**

approaches the disk specifications of the vendor, you are nearing the capacity of the drive.

### % Free Space

This measure can be used to indicate when disk space is low and is good for capacity planning.

### % Disk Time

This counter measures the amount of time the disk is busy servicing read or write requests. Percentages over 90 indicate a very busy disk. A High % Disk Time number may not indicate a disk problem. Excessive memory paging will



## ANSWERING YOUR PAGE

In addition to passively monitoring the performance of your system, perfinon can be used to alert system administrators and support personnel about problems. Perfinon alerts can be configured to watch until a particular counter drops below a certain point or rises above some point, and then to run a program.

Here's an example: you never know that you need to reset a router until a bunch of angry users start complaining that they can't send. So, configure an alert to watch the MSeXchange IMC object counter Queued Outbound. When the counter goes above 20, launch a command script to send e-mail to your pager. You can then take action to reset your router, perhaps before users start complaining.

How do you send e-mail to your pager? First, you'll need a command line e-mail program for NT. I recommend the freeware program Blat. It's simple to use: **blat [filename] [e-mail address]**. And it's a free, public domain utility. However, your paging service must support e-mail. If you are using PageNet or SkyTel alphanumeric pagers, you're good to go.

Each service allows users to send messages to pagers numbers at their domain. Usually this is some combination of the pager number, PIN and domain name. For instance, your PageNet pager number might be (800) 555-1234 and PIN is 99999. Sending e-mail to 8005551234.99999@pagenet.net delivers the message to your pager. See the following homepages for more details:

[gepasi.dbs.aber.ac.uk/softw/blat.html](http://gepasi.dbs.aber.ac.uk/softw/blat.html)

[www.pagenet.com](http://www.pagenet.com)

[www.skytel.com](http://www.skytel.com)

cause lots of disk activity, but the real problem is in amount of RAM on the system. If the only indicator of disk subsystem problems is high % **Disk Time** counts, be sure to check the counter pages per second of the Memory Object to see if memory paging is the problem.

### THE PROCESS OF PROCESS

The Process Object counters allow a variety of measurements of individual processes. Each running process in NT has its own instance so if you suspect a particular application of misbehavior, it can be watched.

Some important Process counters are:

#### % Processor Time

This is how much all of the threads of the process used to execute instructions.

#### Priority Base

The thread of each process can raise or lower their own priority relative to the priority base. By default, some processes may set their priority higher than system administrators would like. Track these

processes with the Priority Base counter.

#### Page File Bytes

This measures the number of pages allocated to the process. All processes share a common page file. If a particular process is greedy, it may prevent other processes from allocating memory. The Page File Bytes Peak counter measures the highest number of bytes the process allocated.

These are just a few of the objects that are counters. Because nearly every facet of your system and software can be measured, perfinon is a great tool that can make systems management and planning much easier.

—What topics would you like monitored?  
Let Ryan know at [ryan@maley.org](mailto:ryan@maley.org).

Would you like to continue to see articles on this topic?  
Circle on reader card yes 304 no 303

## 3 Ways to be a better host

### 1 **DataExpress™**

If your end users can't reach the data they need, then treat them to DataExpress. Host based data in PC file formats such as Excel, Lotus and Word Perfect Merge File. DataExpress can access TurboImage, Allbase and Oracle databases. Interfaces are available for PowerHouse® PDL/QSCHEMAC and OMNIDEX either directly or via the TPI interface. End user and production reporting were never so easy.

### 2 **ODBCLink™**

As an option to DataExpress, ODBCLink greatly enhances desktop access, by providing support for ODBC enabled applications such as Impromptu, MSAccess, Excel, and Visual Basic to name a few. In addition ODBCLink will provide access via a serial/modem connection or via Winsock. ODBCLink can access PowerHouse PDL dictionaries, TurboImage, Allbase, Oracle, KSAM and MPE files. If you are a Omnidex or Superdex site you will be pleased to know that ODBCLink provides access to the TPI interface. **ODBCLink is available in both 16 and 32-bit.**

### 3 **EDI Windows™**

Electronic Data Interchange (EDI) is bringing true automated efficiency to everyday task formerly done by hand. Successful businesses from all industries world wide are embracing EDI. **EDI Windows** enables the link from your HP3000, HP9000, DEC VAX, RS6000 and WindowsNT, to those all important customers and suppliers, for purchase orders, quotations, invoices and much more.



**M. B. Foster  
Associates Limited**  
1-800-ANSWERS (267-9377)  
Phone (613) 448-2333  
Fax (613) 448-2588

82 Main Street South, Chesterville, Ontario,  
Canada K0C 1H0

CIRCLE 155 ON READER CARD





## New Impressions On Compression

**U**ntil everyone can dial-up their Internet provider and rocket around the Internet, Web designers

will always face a dilemma: Should their pages incorporate rich graphics and sophisticated design or is it better to resist, knowing that the browser's STOP button is only a mouse click away? Even at the racy speeds provided by 56.6k modems, downloading a JPEG vista of the Martian landscape can take forever. Imagine the wait if you downloaded an image that had the richness and detail of a photographic print.

If photographs are to be displayed over the Internet, new compression and transport techniques are needed. Today's image file formats, notably GIF and JPEG, were never intended to handle photographic images. The simplicity of the existing formats also are a drawback; a browser can do little more with an image than to display it or save it to a disk. Any new strategy for transmitting photographic images over the Internet must overcome these key performance and functional hurdles. HP, along with Microsoft, Kodak and others think they have found a new Internet imaging strategy.

Storing an image in multiple resolutions allows a server to provide differential access to images based on business requirements. A company could choose to make low resolution pictures available to viewers outside their intranet while retaining the high-resolution images for local clients. In another business model, a low-resolu-

tion picture could be provided as a teaser for a pay-per-access high-resolution photograph. The format also provides a new measure of security for images. Because each image is divided into individually addressable tiles, security rules can apply to any individual or group of tiles.

The new approach is based on replacing traditional methods of encoding images with a new file format called FlashPix. Instead of being a simplistic, one-time encoding of a picture, the FlashPix format is made up of a pyramid of images, each at a slightly higher resolution than the previous one. Each of the layers is also divided into square regions, called "tiles," of 64 by 64 pixels. Applications that are FlashPix-aware can request and read individual tiles, a group of tiles or the entire image. Browsers can ask to only see the tiles necessary at the required resolution; just as you don't need the entire contents of the kitchen for an afternoon picnic.

Most browsers can't interactively choose a region of an image and ask that it be transmitted at a particular resolution. To take advantage of the FlashPix format, Internet users need a new protocol for requesting information about images and making requests of FlashPix compliant servers. With this in mind HP, together with Kodak and Live Picture Inc. (Scotts Valley,

Calif.) have proposed the — you guessed it — Internet Imaging Protocol (IIP).

The new protocol allows a Web client to request basic information about a FlashPix image. A collection of standard designators, called "basic-object-labels," can be used by the browser to request information about the image. Some of the standard properties saved in the image include the height and width of the image, the size and number of tiles, the number of resolutions available, and color, scaling and contrast details. The protocol also allows a client to make requests for specific tiles at particular resolutions.

**FlashPix is made up of a pyramid of images, each at a slightly higher resolution.**

The developers of the FlashPix format have anticipated the need to retrofit the two industry leading browsers for the new format. A plug-in (available at [www.livepicture.com/html/viewers.html](http://www.livepicture.com/html/viewers.html)) provides interim support for the new format for Netscape Navigator and Microsoft Internet Explorer users. The plug-in has two styles of operation. In embedded mode, a user sees traditional rectangular images on Web pages. However, when a user clicks on these images, a menu appears that allows the user to print, zoom, pan or return to the original image. The printing and viewing options take advantage of the Internet



Imaging Protocol to request additional image data, as needed, from the FlashPix-aware server. In "full" mode, the image takes over the browser window and a toolbar appears at the top of the screen. Full mode adds additional functionality, including the ability to crop and rotate the image.

For any of this to work, of course, the server must understand the http-based Internet Imaging Protocol requests. There are currently two server modules: a Netscape API module and a more general, but slower, CGI module. Each of the modules allows any FlashPix-aware client to access the new pictures from the Web and display and manipulate the resulting image. It would seem that FlashPix promises a new era for high-quality imaging on the Internet.

Software that works with the FlashPix format is already available and HP has made the format and the new Internet Imaging Protocol a cornerstone of its initiative to re-architect how pictures and images are manipulated on the Web. With support for the initiative coming from Microsoft and Netscape, Web designers may soon have a new strategy for images that provides new functions and better performance without needing to be a compression expert.

—What impressions would you like to leave? Let Mark know at [mcfadden@21st-century-texts.com](mailto:mcfadden@21st-century-texts.com).

Would you like to continue to see articles on this topic  
Circle on reader card yes 308 no 307



### The ultimate in Windows to UNIX connectivity

FacetWin makes Windows®95/NT® to UNIX integration easy and affordable.

Just ask for a **FREE EVALUATION** copy of FacetWin, or check out our web site at [www.facetcorp.com](http://www.facetcorp.com).

• **File & Print Services**

No need for NFS or ftp... files and printers on UNIX systems simply appear as local resources to your PC, and are ready to use!



• **Terminal Emulation**

World class terminal emulation from the terminal experts that brought you FacetTerm®. Set up a UNIX application with a Windows icon in one minute!

• **Plus, check out these cool features:**

- PC Backup/Restore
- Modem Pool Server
- Remote Computing Support
- Email Server

Connecting  
Windows to UNIX...  
the Windows Way!

**FacetCorp**

tel: 800/235-9901 • 972/985-9901


fax: 972/612-2035

[info@facetcorp.com](mailto:info@facetcorp.com)

[www.facetcorp.com](http://www.facetcorp.com)

FacetWin is a registered trademark of FacetCorp.  
Other names are properties of their respective holders.

CIRCLE 135 ON READER CARD



RETHINK YOUR  
SERVICE ASSUMPTIONS

## HP and Sun Service Make a Lasting Difference.

Contemplating a change? Maybe it's time to rethink your service assumptions. Polaris has new, flexible, reliable alternatives for HP 9000 and Sun users that will make a lasting difference.

We will show you how to take better advantage of your resources, capitalize on new trends in computer service, and get a better return on your service investment.

Find out about your options. Call 800-541-5831 in the U.S., or +31-26-3116068 in Europe. You can also e-mail us at [sales@polaris1.com](mailto:sales@polaris1.com) in the U.S. and [sales@polaris.nl](mailto:sales@polaris.nl) in Europe.

**Custom Service Plans**

On-Site Maintenance  
Self-Maintenance  
Software Support

**Education Services**

Maintenance Training  
SunSoft Authorized  
Training

**Expert Support**

Help Desk  
Parts and Systems

See our homepage: <http://www.polaris1.com>

**POLARIS**

The Leader in Independent UNIX Systems Service.

CIRCLE 200 ON READER CARD

[www.hppro.com](http://www.hppro.com) 37



# Extending Storage Beyond The Enterprise

**T**he trends in the enterprise storage market are being driven by three intersecting needs: the need for data warehousing, the need for employees to share mission critical network applications and the need for competitive advantages. Whether you're a manufacturer wanting to minimize inventory and move the product through the distribution chain efficiently, or a service company looking to improve customer response time, success depends on information management. This information must be highly accessible. And because it's critical to running the business, it must be backed up and protected. Extended storage — storage beyond the desktop — is the key to handling this increase in information storage.

The extended storage market can be divided into two segments: archiving and distribution in one, and backup and disaster recovery in the other. Near-online archiving for quick access to information, that is not used day-to-day, is a competitive advantage. With connectivity exploding, more and more data must be available quickly to users over the network. At the desktop, near-online storage and data distribution will primarily be provided by CD and DVD devices.

The CD will continue to be the most popular optical storage device. Its almost universal format, compact size and 650MB capacity makes it a favorite for extended storage and data distribution tasks. CD-ROM readers are available everywhere, making the media ideal for distributing information, creating reference libraries and storing multimedia sales presentations. When traveling, you can be confident that your presentation can be run at the site: if there's a CD-ROM drive available, it's compatible.

**ROGER ARCHIBALD**

The new CD-RW drives provide an easy-to-use methodology for creating CD-ROM disks at the desktop. These drives can record either CD-R (Write once) or CD-Rewritable media. CD-R is ideal for audit trail applications or to safely archive files for permanent long-term storage. The CD-R disk can be read on any CD-ROM reader. CD-R media (around \$6 per disk) is an economical alternative to optical WORM for sites with smaller storage needs.

Zev Rattet does contract software development which involves the creating of thousands of lines of code. He was worried about what he calls "the black hole" in his file protection scheme. Although work-in-progress and completed projects are placed on magnetic disk, there is no permanent protection against accidental or malicious erasure. To ease his mind, Rattet added a foolproof level of long-term data storage to his small, three-station PC network. He installed an HP SureStore CD Writer.

That was 10 months ago, and he did it just in time. "The SureStore CD Writer came to the rescue



```
corp:/acctg >ls general.ledger
UX:ls: ERROR: Cannot access general.ledger:
No such file or directory
```

```
corp:/acctg >ls payroll.1qtr
UX:ls: ERROR: Cannot access payroll.1qtr:
No such file or directory
```

```
corp:/mfg >ls inventory.cont
UX:ls: ERROR: Cannot access inventory.cont:
No such file or directory
```

```
corp:/mfg >ls order.entry
UX:ls: ERROR: Cannot access order.entry:
No such file or directory
```

# NOTHING

**stops  
the flow  
of profits  
faster than  
the loss of  
critical data**

Protect the lifeblood of your organization with an enterprise storage management solution from Dallas Digital. Since 1981, Dallas Digital has been helping companies like yours manage data with effective back-up and re-store solutions such as the StorageTek 9710 and 9714 Automated Tape Libraries.



**StorageTek®**  
**9710**



As one of StorageTek's certified global storage partners, Dallas Digital can help you integrate mainframe-class tape automation capabilities with your business network. Keep your mission-critical data safe. Contact Dallas Digital about the StorageTek storage solutions at **1-800-842-6333**. Or visit us on the web at **[www.daldig.com](http://www.daldig.com)** today.

624 KRONA # 160 • PLANO, TEXAS 75074 • 800-842-6333  
FAX: 972-422-4842 • INTERNET: <http://www.daldig.com>

CIRCLE 408 ON READER CARD



when we had a customer who somehow lost all the 'old' code. When we went to retrieve it, it was gone from our disk files as well. Luckily, we were able to recoup from the CD-R. Otherwise, we would have been out years of work," remembers Rattet. For applications requiring the revising, rewriting or erasing of stored files, the new CD-RW media is a promising future replacement for removable magnetic media. CD-RW media can be used for standard data archiving chores and as economical daily backup for large networks.

CD-RW is easy to use because it does not require any pre-writes. Users can transparently write to the CD by dragging and dropping within a number of the most popular application programs. While older CD-ROM readers cannot read a CD-RW disk, all CD-RW drives (and DVD players) are able to read CD-ROM-, CD-R- and CD-RW-created disks.

## See Clearly With Optical Storage

Network archiving chores will depend on WORM and rewritable optical jukeboxes. The driving demand here is "How do I protect remote server data?" The expanding use of optical jukeboxes is being pushed by businesses' need for both near-online protected access to archived files and the ever increasing size of the network backup chore.

Optical media choices include WORM or rewritable magneto-optical disks in a variety of sizes, the most popular being 5.25- and 12-inch. Optical disks provide from 2.6GB to 10GB per platter of storage capacity. Jukeboxes, like the HP SureStore 600fx, hold up to 618GB of data all near-online. Access times and data transfer rates are approaching that of magnetic disks.

Berding & Weil, a law firm with offices in five California cities, installed an optical jukebox on its 140-node PC-WAN at its Alamo, Calif. headquarters to act as a centralized repository for every document within the law firm. The HP 20XT SureStore Optical Jukebox holds up to 20GB of information, all of which is accessible within a few seconds. The law firm is using opti-

cal read/write (erasable) disks; the jukebox also is capable of handling WORM media. They no longer have to sometimes tell clients "we can't find your file." Alfred D. McKelvy Jr., the firm's CFO says, "The optical disks are a stable media and the jukebox gives us surprising access speed. It is faster than we anticipated, faster than CDs or tape."

## Tale Of The Tape

In the backup and disaster recovery segment, network and high-end system users relying on larger files to be recorded and accessible in less time are best served by DLT and DAT/DDS-3 tape technologies combined with robotics for unattended backup in a minimum time frame. The new DLT and DAT devices are capable of storing up to 70GB and 24GB per tape cartridge, respectively. Tape libraries like the HP SureStore DLT Library and SureStore DAT24 Library can hold up to 3.4TB and 144GB of compressed data with transfer rates of up to 5MBps and 2MBps, respectively.

For desktop recovery, Travan tape is shaping up as the number one media, as it keeps pace with the rising storage capacity of PC hard disks. Travan-class tape media is aimed at smaller sites where up to 5GB of backup and archiving capacity is enough to meet their needs. The Family Practice Ingrid Rule Clinic (Loveland, Colo.) is an example of a typical small-system user who has successfully implemented Travan Tape as their backup and disaster recovery storage solution. The clinic's staff of six rely on a small six-station office PC-LAN to run their busy facility and maintain records on approximately 5,000 patients. Walter "Doc" Rayburn, the social worker at the clinic, notes, "We needed something to maintain accurate backup files when the server's disk crashed, as it had done on two previous occasions — each time keeping us down for over a week until we could reload the system. So, about four months ago, an HP SureStore T4i Travan-class tape unit was installed to provide server data backup and disaster recovery capability."

The 5.25-inch half-height, SCSI-

compatible tape device solved the problem of not having a full-network file backup protection capability. Soon after the HP SureStore T4i was installed, the system experienced another disk crash. But this time, thanks to the full 1.2GB daily backups performed by the staff, they were back online within 20 minutes, according to Rayburn. "Having all the data recovery files on one tape cartridge really made coming back up easy," he says.

Because of tape's proven reliability, it is the first choice of most IS professionals for long-term full data backup and archiving when quick access to the stored data is not crucial. DLT and DAT tape devices have the capacity and data throughput speed to provide data warehousing and archiving applications for very large networks, and are excellent for storing daily, weekly and monthly backups, as well as disaster recovery file copies.

Tape storage will retain its number one standing as the data backup and file archiving storage option of choice as capacity and throughput increases keep it up with users' storage needs — all at a low cost when compared to alternative media. The trend to integrate these various extended storage options within a hierarchical storage management (HSM) environment, producing a seamless, user-transparent union of all network storage devices, will continue. With this accomplished, all company data (current, archived and backup) is user accessible via near-online and offline storage vaults.

According to IDC, the worldwide market for extended storage products is expected to grow from \$18.4 billion in 1996 to \$25.6 billion by next year. The largest growth is expected to come from removable storage products, like optical disks and magnetic tape. A balance between the continual expansion of a server's magnetic disk capacity and extending storage outward is needed. This balance can be achieved by augmenting hard disk magnetic storage with optical jukeboxes, CDs, DVD and tape storage products.


—Roger Archibald is marketing manager at HP's Information Storage Group.



**StorageTek**

Where the world's information goes.

**A storage solution for all platforms.**  
*[And other liberating ideas.]*



At first, going with the storage offered by your server vendor feels safe. But as new servers and platforms are added, it becomes increasingly risky—and very confining. Here's a liberating idea: a single storage solution that can handle multiple platforms running different operating systems. With the flexibility you need to store and share information any way you want—by application, even location—and access it, whenever, wherever. StorageTek's OPENstorage™ disk family gives you options in hardware, software—even safety nets, like 24-hour worldwide service and support. And that's just part of our full range of scalable technology designed to free you from risk. Which, after all, is what storage should be all about. Call StorageTek® at **1 888 202-8829**. Or visit us on the Web.

**CIRCLE 302 ON READER CARD**[www.storageitek.com/disk](http://www.storageitek.com/disk)



# They Don't Call It A Brave New World For Nothing

System administrators quickly discover that mainframe-class management tools are missing in the client-server and intranet environments. Furthermore, the distributed nature and sheer number of Windows NT servers makes the management tasks that were routine out in mainframe environments much harder. This is especially true in the case of distributed databases, networks and storage resources such as disks, arrays, tape and optical media, removable drives and robotic libraries. Windows NT system administrators lack the tools to view and manage their networked storage resources. Data is not highly available, and mission-critical Windows NT servers and workstations are subject to downtime and data loss.

## Storage Resource Management

Developers and users of business-critical Windows NT applications (for example, Microsoft Exchange, Lotus Domino/Notes, SAP R/3 and so on.) and large-scale Microsoft SQL Server databases are now asking for tools to monitor, manage and track the networked storage resources that store their data. So, a new category of management applications called Storage Resource Management (SRM) has recently emerged to address these problems. SRM applications monitor and manage storage resources across networks to insure data availability. SRM tools manage physical properties of storage resources such as health, capacity, performance, configuration and utilization. Michael Petersen, president of Strategic Research, an industry consulting firm specializing in networked storage, says that "SRM is to physical storage resources what network management is to routers and hubs, and what systems management is to CPUs."

SRM tools and technologies facilitate the adoption of Microsoft SQL Server and Windows NT as mission-critical platforms in the following ways: increasing data availability; ensuring that mission-critical servers and workstations are not brought down by failed or fully utilized disks; facilitating large-scale storage capacity, by managing multiple, multiterabyte tape and optical libraries; reducing total cost of ownership (TCO) by enabling large tape, optical and CD libraries to be shared by multiple applications, thereby amortizing capital costs of automation solutions; lowering administrative costs by giving administrators a common interface to manage all types of networked storage resources in a standard way.

**TOM ROSE**

## The Role Of NT Media Services

Windows NT Media Services (NTMS) is a new Storage Resource Management standard that will be built into a future release of Windows NT Server and Windows NT Workstation. NTMS will enrich Windows NT with a native set of tools for end users, software developers and library/drive manufacturers for the main purpose of increasing data availability. NTMS is being developed for Microsoft by





DLT Library  
4115e/r



M/O Library  
40fx




T4i



DAT24x6e



CD-Writer  
6020e



DLT40e



DAT24e

## Consistent. Reliable. Beige.

Just the  
qualities  
you look  
for in data  
storage.

The only statement a storage solution should make is, "Don't worry." That's why HP puts product reliability way ahead of appearances. Any HP SureStore™ equipment you choose has undergone the most rigorous testing in the industry.

Whether you need a CD writer to archive files at your desktop or state-of-the-art DAT autoloaders to backup an entire network, more people trust HP than any other brand. They're compatible with every popular operating system. And every one comes backed by HP's rightly famous world-wide service and support. So be sure you've got HP SureStore storage. If the dependability doesn't lull you to sleep, the color will.



**1-800-249-4057** DEPT.  
4255

CIRCLE 458 ON READER CARD



HighGround Systems, a leader in the emerging SRM category. In September 1996, HighGround and Microsoft signed the development, marketing and technology agreement that paved the way for this important new industry standard.

## A Triple Play

The NTMS storage standard is made up of three components: a graphical management tool, a Software Developer's Kit (SDK) and a Device Driver Kit (DDK). A graphical management tool, implemented as a Microsoft Management Console Snap-In, will be included as part of Windows NT Server and Windows NT Workstation.

The NTMS management tool will allow system administrators to manage media, drives and robotic libraries from any vendor in a standard way, and will support:

- Library inventories
- Media inject and eject
- Media allocate and deallocate
- Media mount and dismount
- Media pool management
- Online and offline media tracking

The SDK provides ISVs with a standard way to integrate their data management (for instance, backup/recovery, disaster recovery, hierarchical storage management, archive, document management and imaging) applications with removable media, drives and robotic libraries.


The DDK provides library/drive manufacturers with a standard way to integrate their drives and libraries into Windows NT so they can be shared by multiple data management and storage resource management applications. NTMS will benefit end users, developers and library/drive manufacturers. End users, especially system administrators, will enjoy a lower TCO of storage, greater availability and administration of data, and freedom to select storage resources.

NTMS will enable multiple data management applications (backup/recovery, document management etc.) to share the same drive or robotic library. As a result, end users will be able

to cost-justify the use of automation in Windows NT environments by amortizing the library's capital cost across multiple applications.

Large tape and optical robotic libraries have been used in mainframe environments for many years to ensure data availability by automating storage

In the past, when higher capacity, higher performance drives and libraries were released, ISVs had to rework their applications to take advantage of the new technology. With NTMS, they can write once to the NTMS API, and will instantly support any NTMS-compliant drive or library.



**With NTMS, devices will be supported by the  
Windows NT operating system, and application  
developers will write to one API.**

management tasks like drive cleaning, media labeling, media rotation and media tracking. NTMS will give Windows NT built-in support for these heavy iron libraries. The management tool will provide system administrators with a media- and device-independent way to control the media, drives and robotic libraries attached to a Windows NT Server or NT Workstation.

## Driving Into The OS

Those who are contemplating the purchase of a new backup or document imaging application must first verify that the application they want supports the drives and libraries they have. NTMS will allow them to use the storage resources that best fit their needs, because all drives and libraries will eventually be supported as part of the operating system.

In the past, developers had to bear the burden of providing proprietary media management and device integration. Backup application vendors were forced to write and test hundreds of device drivers, build their own media managers and pay the price of device testing. With NTMS, devices will be supported by the Windows NT operating system, and application developers will write to one API.

Meanwhile, NTMS will allow device/library vendors to integrate their products more easily with applications from ISVs. As a result, device/library vendors will have the opportunity to increase unit shipments and sales of robotic libraries. In the past, device vendors were forced to solicit support from the ISV community, and could not sell their drives and libraries until these vendors shipped applications that supported them. With NTMS, libraries and drives integrated with NTMS will instantly work with any NTMS-compliant application.

Because NTMS makes it possible for multiple applications to share robotic libraries, system administrators will be able cost justify the purchase of automated libraries for Windows NT networks, and library vendors will see their sales into Windows NT environments increase.

NTMS also will provide the building blocks for a new class of SRM applications. Together, NTMS and SRM applications will make management of distributed storage resources on Windows NT networks easier, cost effective and efficient.

—Tom Rose is vice president of product marketing with HighGround Systems (Boxborough, Mass.).





## Enjoy

AMASS® software will give you more free time to enjoy life, with worry-free data storage. You won't be spending endless hours, or late nights, in the office gnawing on network storage problems.

AMASS gives you the freedom to choose the optical or tape library, and media, that best meets your specific storage requirements. And AMASS is so easy to use. Your applications

simply read and write files to the library as if it were a single large magnetic disk. An on-line index tracks files, on media in and out of the library, for fast file system

operations. Magnetic disk caching provides high performance. AMASS supports all of the most popular UNIX and Windows NT\* platforms.

AMASS Supported Libraries			Media	
EMASS	IBM	Philips LMS	5.25" optical	SD-3
ATL Odetics	IDE	Plasmon	12" & 14" WORM	VHS
Breece Hill	Kodak	Sony	CD ROM	3490/90E
Cygnnet	Maxoptix	StorageTek	Quantum DLT	Others
DISC	MountainGate	Others	Sony DTF	
Hewlett Packard	Panasonic		IBM 3590	

So, lick your data storage problems, call now for a free AMASS overview book or a 30 day free software trial.



1-800-653-6277 • [storage@emass.com](mailto:storage@emass.com) • <http://www.emass.com>

\* Initial AMASS NT release limits supported storage devices. EMASS and AMASS are registered trademarks of EMASS, Inc. © Copyright 1997

CIRCLE 296 ON READER CARD



# SUN DEC

(You'd be surprised at all the connections you

If, by chance, you're not surprised at how open IBM Serial Storage Systems manage to be, then their remarkable performance will raise an eyebrow or two.

First, these open disk systems are designed to connect to UNIX<sup>®</sup> servers, including HP, Sun and DEC. And NT servers, like HP and Compaq.

Not to mention IBM systems, too.

Then there's the added advantage of speed. A Serial Storage Architecture, which is an ANSI standard interface, is used with a two-way loop to handle inbound and outbound data streams simultaneously.

This helps make our Serial Storage



# HP, NT.

can make with IBM Serial Storage Systems.)

Systems significantly faster than traditional SCSI disk systems.

As a result, more of your users have faster access to valuable data. For applications like data mining, data warehousing and transaction processing.

And the future? As your storage needs

inevitably grow, you can easily increase capacity. Without taking your business systems offline.

Visit [www.ibm.com/storage/connections](http://www.ibm.com/storage/connections) to learn more surprising ways you can maximize access to stored data.

Solutions for a small planet™





# Double, Double, Toil And Trouble

**W**hen anything interrupts the normal activities of your operations center, the loss of access to critical data can put your entire business in jeopardy. Backup is a regularly scheduled routine in data centers everywhere, because it's a sound business practice. But when a complete site failure occurs, the recovery time from offsite backups, before you're fully operational again, is simply unacceptable. No one can afford to spend days or weeks trying to recover that portion of the corporate data that is critical to running the business. With only the "cold recovery" of a tape backup/restore operation available, it may take days or weeks before your business is back at peak efficiency again.

So, what are the alternatives open to you if you need continuous data access? Make your primary data storage device "bulletproof." In other words: two of everything — not just dual active controllers, but dual power and cooling, dual copies of data, dual power cords and dual power sources (in case the power grid fails). However, this is not especially practical. You still are not protected against natural disasters that physically destroy the site itself. Nor have you ensured continuous data access during periods of normal maintenance or upgrade, where hardware or software servicing requires the storage systems to be offline.

Fully replicating the data repository to a second identical unit will insure against unacceptably long restore timeframes, and the secondary unit can be put into online operations while the first unit is being serviced. But again, the cost is high. In this scenario, your price per megabyte of storage has just doubled — and you may even be paying a premium for data that isn't critical enough to warrant it. The costs will rise exponentially if the secondary (or "hot recovery") unit is not co-located, but is at remote site. In that case, the telecommunications costs will further increase the budgetary outlay.

However, assuming that the second site is far enough removed, you will probably be protected against the same disaster affecting both storage repositories. But, it's remotely possible that both sites will still concurrently go out of service. So, do you now need a third site at triple the cost?

Selectable levels of data protection are needed, so that you can decide what level of protection to invest in for each and every piece of data, based on how quickly the data must be available and online again. This requires multiple levels of local and remote data replication that can be customized at as low a granularity as the file level. The most critical information could be replicated at multiple, remote hot recovery sites and be immediately available, while non-critical or archival data could be stored on a low-cost tape



ANNE MURPHY



backup device and recovered later.

Scaling availability to the point of non-stop online access is the challenge, but storage solutions are now moving

**Make your primary data storage device "bullet-proof." In other words: two of everything.**

beyond disk-to-tape backup and simple hardware component redundancy to multiple levels of online and offline data redundancy. The most effective approach to business continuance is for you to be empowered with the tools to select the data recovery/data replication techniques that best fit your enterprise and your budget.


User-scalable replication at the file

level, rather than the storage array level is key, because it helps keep costs under control. The flexibility to combine multiple local and remote mirroring or backup techniques concurrently represents the best business value, because

then you can choose the appropriate level of protection for each and every data transaction.

— Anne Murphy is vice president of marketing with Storage Computer Corp. (Nashua, N.H.).

## THE BEST ENGINEERED MASS STORAGE SOLUTIONS



### THE TOTAL SOLUTION

*sales, service, support*

**On-time service, on-line equipment.**

*Black River takes the risk and worry out of ordering, implementation and maintenance.*

**You're assured:**

- ◆ Full line of new and previously owned, refurbished 9000, 3000 and 1000.
- ◆ Technically trained maintenance team.
- ◆ Free installation.
- ◆ Nationwide service.

**Call 216-365-9950 or fax 216-365-3916 for more info.**

**BLACK RIVER**  
COMPUTERS

7630 RACE ROAD • N. RIDGEVILLE, OH 44039  
<http://www.blackriver.com>  
e-mail: [sales@blackriver.com](mailto:sales@blackriver.com)

CIRCLE 171 ON READER CARD

### SUPERIOR BY DESIGN

The most ADVANCED Storage Management Software for Optical Rewritable, WORM, CD-ROM, and Tape. Only KOM offers:



True TRANSPARENCY through use of UNMODIFIED Native File Systems



True WORM integrity through DEVICE-LEVEL connectivity



Toll-free TECHNICAL SUPPORT 24 Hours / 7 Days a Week

**KOM INC**

**Call Toll Free: 1-800-668-1777**  
or (613) 599-7205

**<http://www.kominc.com>**



CIRCLE 301 ON READER CARD





*Recalling the Days of DRAM Past,  
Present And Future*

# The Fondest of Memories

**P**icture a family photo album full of treasured memories. However, this album is different: it allows you to see the future as well as the past. For example, if you have to deal with computer memory, you'll fondly recall Dynamic Random Access Memory (DRAM). But this isn't the DRAM your father may remember.

In 1994, a DRAM data access scheme called Fast Page Mode (FPM) enabled a CPU to access new data in half the normal access time, as long as it was on the same page as the previous request. FPM has given way to Extended Data Out (EDO) memory, a form of DRAM technology that shortens the read cycle between memory and CPU. EDO memory allows a CPU to access memory 10 percent to 15 percent faster than comparable FPM chips. And now, the current hot DRAM technology is Synchronous DRAM (SDRAM), which uses a clock to synchronize signal input and output on a memory chip.

The clock is coordinated with the CPU clock so the timing of the memory chips and the timing of the CPU are "in synch." SDRAM includes an on-chip burst counter that can be used to increment column addresses for very fast burst accesses. To work with up to 100MHz clock speeds, SDRAMs are designed with two internal banks. This allows one bank to get ready for access, while the other bank is being accessed. This means SDRAM allows new memory accesses to be initiated before the preceding access has been completed.

According to Mark Moshayedi, chief operating officer at Simple Technologies (Santa Ana, Calif.), "70 percent of systems will ship with SDRAM by the end 1997." Moshayedi also notes that the 5 percent to 10 percent performance gain that SDRAM delivers over EDO will be significantly increased — 25 to 30 percent — as systems begin to use their 100MHz bandwidth capacity. Currently, most systems are limited to a 66MHz or lower bus speed. However, the performance of SDRAM will not be maximized until machines are functioning at 200MHz.

## DEBORAH SCHWARTZ

According to Bosco Sun, president of Camintonn Z-RAM (Irvine, Calif.), the cost of SDRAM will be stabilized by the end of 1997. "Prices have dropped severely, especially in the April/May time frame," says Sun. "There will be a further drop, but not as much." He also notes that the traditional increase in demand in the fourth quarter will also slow down the pricing decline.

Next on the horizon is Double Data Rate (DDR) SDRAM. This is a new SDRAM specification that is currently under review by the JEDEC (Joint Electron Device Engineering Council) committee. Joe Klein, vice president of engineering at PNY Technologies (Parsippany, N.J.), is convinced DDR will be the next step in the evolution of memory. "It's easy to implement and provides added performance. It's the path of least resistance."

SDRAM with DDR uses both the trailing and leading edge of the CPU clocks to synchronize data, thereby potentially increasing the speeds of operation up to three times over EDO and conventional



SDRAM. Similar to traditional SDRAM, DDR SDRAM moves data on each clock edge, doubling the peak bus bandwidth.

Fujitsu Ltd. and NEC Corp. are looking to put DDR memory chips in workstations and servers when the chips become available in the first half of next year. And, both claim the DDR-based chips will be able to input and output data at speeds up to 1.6GBps — about twice the rate of current DRAM.

Shannon Biggs, vice president of manufacturing at Viking Components (Rancho Santa Margarita, Calif.), believes SDRAM and DDR will not go away as quickly as some people think. "For proprietary enterprise servers from HP, Sun and SGI, SDRAM and DDR will be around for longer than for the rest of the market. Those companies aren't always as quick to make changes in that area."

## Get On The Rambus, Gus

Although DRAM will continue to be the memory of choice for the next few years, the competition for its replacement is taking place between Rambus (RDRAM) and SLDRAM (formerly SyncLink). Both RDRAM and SLDRAM are solving today's memory throughput problems: DRAM memory chips do not have enough bandwidth for getting

## One Small Step For SDRAM?

In the past, DRAMs were manufactured using 4 megabit(MG) and then 16MG technology. Now, a majority of modules are using 64Mb technology. Now, early indicators predict the memory industry will jump straight from 64Mb to 256Mb DRAMs, but Samsung, NEC, Texas Instruments, Fujitsu and Hyundai already have generational half-step 128Mb products in the works. According to Bosco Sun, president of Camintonn Z-RAM (Irvine, Calif.), the market will skip 128Mb products and go directly to 256Mb. "Companies normally go for the 4x increase," notes Sun. "And we don't see a lot of interest from our customers for 128Mb products." Alan Sibert, director of marketing at Dataram Corp. (Princeton, N.J.) also believes the manufacturers are going to skip to 256Mb technology. "128Mb is too much of an anomaly. If the DRAM manufacturers can figure out [how to make] 256Mb, they will."

Lucas King, product manager of workstation memory at Kingston Technology (Fountain Valley, Calif.), disagrees and sees some OEM demand for 128Mb product, despite the fact that it's only a half-density jump. "128Mb product will be available, because the demand exists now," says King. He estimates that it will be available by the end of the 1997. This theory is confirmed by companies such as NEC, which expects to have samples of a 128Mb SDRAM ready by the first half of 1998, with product expected some time in the second half. Taking a less definitive tact, Samsung plans to keep its 256Mb production plans on schedule for 1999 and anticipates the 128Mb will "only address a temporary need."

On the other hand, King says 256Mb product is already sampling. "To get to 256Mb is possible, but yield is low so prices are high. But, demand is increasing," says King.

the data on or off the chip. Manufacturers have to use many chips in a wide array to get the speed up to what their system needs.

Founded in 1990, Rambus has received praise from the technical community for its 600MBps DRAM interface, which is designed to run 10 times as fast as conventional DRAM interfaces. And recently, Intel put its stamp of approval on the RDRAM spec by

entering into a joint venture with Rambus.

Rambus is essentially command-driven smart memory that coordinates with the CPU more cooperatively than old-fashioned "dumb" memory.

The only potential competitor to RDRAM is SLDRAM, a specification that semiconductor companies are currently hurrying to hammer out. Basically, SLDRAM addresses the band-

## ATTENTION HP-UX USERS



**FREE DOWNLOAD**  
[www.dcsiem.com](http://www.dcsiem.com)

## 32-BIT VT320, SCO-ANSI TERMINAL EMULATION SOFTWARE

### WINDOWS 95 AND NT 4.0

- WinSock, TAPI, Serial Connections
- Includes FTP Client and TCP/IP Utilities
- Built-in Kermit, X/Y/Zmodem
- Value Pricing

**Connect with E-Term32 TODAY**

Phone 303-447-9251 • Fax 303-447-1406

[www.dcsiem.com](http://www.dcsiem.com) • [info@dcsiem.com](mailto:info@dcsiem.com)

**DCSI**



## Enterprise Solutions

# HP ENTERPRISE STORAGE SOLUTIONS POWER THE EXTENDED ENTERPRISE

*Broad Portfolio of Solutions Incorporate Leading-Edge Technologies to Keep Up With Demand for High Data Availability, Capacity and Performance Scalability and Low Cost of Ownership*


**I**nformation storage has become a critically important element of IT managers' extended enterprise computing system environments, and continues to grow in importance as new applications drive a continuing explosion of data creation and use. This explosion of data is driving IT managers to demand ever-increasing amounts of capacity, higher data availability and faster performance from providers of storage system solutions.

Hewlett-Packard Enterprise Storage Solutions Division offers the broadest portfolio of information storage systems of any major systems provider in the market today. HP offers a broad spectrum of high-availability solutions that provide best-in-class products and technologies to meet the high-availability, scalability, performance and capacity requirements of its HP 9000 and HP 3000 enterprise systems customers. HP Enterprise Storage also works closely with third-party partners and other diverse HP divisions to create an open, standardized enterprise computing environment that allows IT managers to operate seven-day, 24-hour per day operations with no downtime and plenty of room to grow.

"Enterprise systems managers are clearly faced with maintaining and increasing storage system performance while rapidly adding capacity to meet their needs," said Art Lane, General Manager of HP Enterprise Storage Solutions Division. "We recognize that they not only continually need faster performance and higher capacity, but flexibility in adding and managing storage without loss of performance or functionality. Perhaps most important of all, we recognize the need for very high levels of fault resilience and data availability to keep mission-critical applications running."

HP Enterprise Storage offers best-in-class online storage that ranges from its external SCSI disk array enclosures to its self-configuring/self-optimizing disk arrays with AutoRAID technology to Fibre Channel-based High Availability Disk Arrays and very high capacity Symmetrix 3000 storage systems. HP provides near-line storage solutions with its highly reliable and fast magneto-optical (MO) jukeboxes, and also offers best-in-class off-line automated data backup storage solutions based upon Digital Linear Tape (DLT) and Digital Audio Tape (DAT). HP also supports Storage Technology's very high capacity 3480/90-compatible tape subsystems and silos. HP also recently announced a full suite of Fibre Channel products that enable 100 MB/sec throughputs. Those new products include not only Fibre Channel versions of the HP High Availability Disk Array (its Model 30/FC) and the Symmetrix 3000 Integrated Cached Disk Arrays, but a new Fibre Channel storage network hub and SCSI-to-Fibre Channel multiplexer. All HP Fibre Channel products are based upon HP-developed Fibre Channel ASIC chips that form the foundation for the vast majority of Fibre Channel products available today.

For its high-end online Data Center storage, HP partners with EMC Corp. to provide mainframe-class online storage solutions that deliver high performance in highly flexible, scalable subsystems with up to 2.95 Terabytes of information capacity. Fibre Channel versions announced in May (HP Symmetrix Models 3700,





3400/3430 and 3300/3330) have FC host interfaces that handle up to 100 MB/sec data transfers to meet the growing performance requirements of HP's K-Class, T-600 and V-Class Enterprise Server and cluster environments.

HP's midrange online storage solutions include the recently-announced HP High Availability Disk Array Model 30/FC, which provides up to 264 GB of raw capacity per enclosure for HP's K-Class, T-600 and V-Class Enterprise Servers. These arrays are based upon an innovative architectural design that emphasizes high availability and capitalizes

on the performance, flexibility and scalable benefits of Fibre Channel technology.

All of HP's new Fibre Channel products have one important attribute common: they provide IT managers with new dimensions of flexibility and configuration capability. Fibre Channel allows for connections of up to 3 Kilometers between servers and subsystems today, with up to 10 KM distances possible as early as 1998. HP's total Fibre Channel portfolio includes an FC-AL Hub that gives system managers the means to place hosts and/or subsystems farther apart, freeing up distance constraints imposed upon them by SCSI limitations. Up to ten ports can be used per hub to attach

additional subsystems or servers to a single server, enabling higher degrees of fault resilience and data availability while allowing IT managers to add more capacity. Finally, a new Fibre Channel-to-SCSI multiplexer allows IT managers to protect investments in older SCSI subsystems as well as add new SCSI-based tape subsystems. The multiplexer, or MUX, has two FC ports and 4 SCSI ports per device, and works at distances up to 500 meters to allow attachment of HP Advanced DLT Tape Libraries and Storage Technology's TimberWolf, Timberline and Redwood automated cartridge system silos.

To round out its online storage portfolio, HP offers its revolutionary HP Disk Array with AutoRAID models 12 and

**"We recognize the need for very high levels of fault resilience and data availability to keep mission-critical applications running."**



**Art Lane, General Manager,  
HP Enterprise Storage Solutions Division.**

12H. These self-optimizing, autoconfiguring RAID storage systems take the pain out of configuring RAID for IT managers by automatically tuning and optimizing for the best possible performance for a enterprise system manager, particularly in online transaction processing (OLTP) applications. Features such as its

Dynamic Data Migration capability, which automatically stores active data in high-performing cache or RAID 1/0 mode and places less active data in low-cost RAID 5 mode, lie at the heart of its optimization capabilities. The arrays also feature a unique Active Hot Spare, which adds to fault resiliency by ensuring that the extra spindle works when a drive goes down and needs replacement. AutoRAID's outstanding performance--verified by recent TPC-C benchmark testing--allows IT managers to meet departmental performance criteria while reducing downtime associated with conventional RAID solutions, which are more difficult to install, reconfigure and performance tune. HP Disk Arrays with AutoRAID also reduce cost of ownership thanks to its ease of installation and configuration.

HP Enterprise Storage offers both near-line and off-line storage solutions as well. Its magneto-optical jukeboxes provide IT managers with a highly reliable means to store hundreds of gigabytes of data within easy access of HP 9000 and 3000 Enterprise Servers. HP's Advanced DLT Tape Libraries and DDS-3 DAT drives provide backup and recovery capabilities for enterprise and departmental servers, and HP supports StorageTek's mainframe-class Redwood, Timberline and TimberWolf ACS tape silos. All are supported by HP's OpenView OmniBack II suite of OpenView backup management software solutions.

HP's Enterprise Storage is powering the Extended Enterprise.



**HEWLETT®  
PACKARD**

#### **HP Enterprise Storage Solutions**

**19111 Pruneridge Avenue**

**Cupertino, California 95014-0683**

**1-800-637-7740**

**[www.hp.com/go/9000servers](http://www.hp.com/go/9000servers)**



width problem by using a new architecture for communicating with the DRAMs, with two highly optimized buses. SLD RAM will be an open IEEE and JEDEC standard, available to all.

The SLD RAM approach is to use moderately aggressive bus technology

with a packet communication architecture. The memory controller will schedule DRAM activity by sending command/address packets to all DRAMs over a narrow unidirectional bus, called the CommandLink.

While the SLD RAM chips also can

be used in lower volume, DRAM applications like graphics, set-top boxes and game machines, the consortium feels that any new memory technology must first be adopted in main memory to drive volumes up and costs down. Recently, the consortium approved Siemens quarter micron production process for the SLD RAM. MOSAID Technologies Inc. (Carp, Ontario) has been commissioned by the consortium to design the SLD RAM using the Siemens process.

King is not sure if the SLD RAM solution will pan out. "SLD RAM is built around the synchronous technology, but allows you to expand performance," says King. "For now, it is not a workable solution." And while many see the "openness" of the SLD RAM solution as a plus, they are not betting their chips on that yet.


"Companies don't like to have to buy into a proprietary solution or to have to pay a royalty to another company [as in the Intel/Rambus situation]," says King. "Still, many companies have bought Rambus licenses, are supporting SLD RAM, are working with DDR and providing EDO."

## Always Remember, Never Forget

While CPU speeds have increased exponentially, memory access speeds have not. "As [systems become] faster, more noise is created; signals become tighter," says Klein. "Companies will need to insure compatibility."

The increasing cost of these new technologies, due to the need for new fabrication lines and new testing equipment, will force a consolidation of the memory market. "Before, anyone could get into the business [at a minimal expense]," says Biggs. "[These new technologies] will separate the men from the boys."

## Data Backup & Recovery From Workstation Solutions



**N**o more endless searching. No more playing hide and seek with your data resources. Just the easiest and most efficient way to backup and recover data – period. We can't say it any more clearly. Quick Restore from Workstation Solutions offers an extremely intuitive, easy-to-use GUI that lets you find backed up data in seconds as well as schedule and monitor backups with the simple click of a mouse. AND its data recovery performance is *blistering fast*.

### What more could you want from a backup product?

Space? O.K. Quick Restore takes up an astonishingly small amount of hard-disk space for index cataloging.

Quick Restore is simply the industry's most advanced, easy-to-use data backup & recovery solution for open systems workstations and file servers. Call 800.487.0080 today for more information and a free brochure.

Do the words *Easy-to-use, Speed, Innovative & Reliable* mean anything to you?

- ISO/POSIX Compliant
- Incredibly fast on-line indexing and volume location
- Open architecture supports multiple servers and DBMSs
- Data backup & recovery on a heterogeneous network without NFS
- Support for over 80 tape drives and robotics: 4mm, 8mm, DLT tape formats
- Exclusive compact database technology requires substantially less on-line disk space for catalog indexing



five overlook drive  
amherst, nh 03031-2833  
tel: (603) 672-8600  
fax: (603) 672-3154

[www.worksta.com](http://www.worksta.com)

"Workstation Solutions' exceptional customer support organization makes it worth buying Quick Restore. Their staff is highly knowledgeable and efficient – it's a pleasure to call them!"



Don't let time pass you by! Get Quick Restore today.

**HP Professional Web edition**  
The Independent Magazine for Hewlett-Packard Enterprise Computing

Check out our Web site  
[www.hppro.com](http://www.hppro.com)

CIRCLE 253 ON READER CARD



# PRODUCT LISTINGS

## ENTERPRISE STORAGE

### ATTO TECHNOLOGY, INC.

40 Hazelwood Drive  
Amherst, NY 14228  
Phone: 716/691-1999  
Fax: 716/691-9353  
www.attotech.com

The ultimate in data access...ATTO's Solid-State Products. Eliminate I/O bottlenecks and get instant access to your data. ATTO SiliconDisk II delivers data access time of 0.03 ms. By eliminating the slow mechanical action of conventional drives. ATTO SiliconCache™ II provides < 0.1 ms. Access times, giving you instant access to your frequently used data. Can your system benefit from high-speed access to valuable information?



### CENTON ELECTRONICS, INC.

20 Morgan  
Irvine, CA 92618  
Phone: (800)234-9292  
Fax: (714)855-6035  
www.centon.com

Centon Electronics, Inc. is your memory upgrade source for all Hewlett Packard systems including:

- Entria II & Envizex II
- Kayak series
- NetServer series
- All LaserJet printers

All Centon products are backed by toll free technical support and a life-time warranty.



### DATABASE EXCELLERATION SYSTEMS (DES)

2945 Oakmead Village Court  
Santa Clara, CA 95051  
Phone: 408.727.5497, 800.287.0373  
Fax: 408.727.5496  
Email: info@desdbx.com  
Web Site: www.desdbx.com

DES's enhanced solid-state systems enable greater performance from server-based UNIX & NT enterprise applications. Moving 10%-20% of your mass storage RDBMS (logs & 'hot' files) to DES systems improves application performance 70% or more. DES SSDs are platform and software independent, scaleable, as well as plug & play SCSI. SDES products are sold and serviced by Hewlett Packard.



### LXI CORP.

222 West Las Colinas Blvd.  
Suite 1455  
Irving, Texas 75039  
Phone: 972/444-2323  
Toll-Free: 800/226-6526  
Fax: 972/444-2350  
Email: main@lxicorp.com  
Website: www.lxicorp.com

LXI's Tape Management System for UNIX (TMS/ix™) is an integrated suite of software applications designed for complete management of all magnetic tape usage under UNIX operating systems. TMS/ix provides Tape Management, Backup Management, Vaulting, MultiHost Management and General Tape Utility. TMS/ix is scalable to practically any network and system size.



### SCH TECHNOLOGIES

895 Central Ave. Cincinnati, OH 45202  
Phone: (513) 579-0455 or  
(888) SCH-OPEN  
Fax: (513) 579-1064  
E-mail: info@sch.com  
Web: www.sch.com


HYPERTape Enterprise Backup™ from SCH Technologies is a client/server-based storage management application providing high performance on-line backup and restore of mission critical databases and applications, including Oracle, Informix, Sybase, and SAP. With support for more than 30 platforms, including UNIX, Windows NT, OS/2, Novell Netware, Windows 3.1 and Windows 95, HYPERTape provides the broadest platform support available in the industry. www.hypertape.com



### SOFTWARE MOGULS, INC.

6400 Flying Cloud Drive  
Eden Prairie, MN 55344  
Phone: (612) 914-7057  
FAX: (612) 944-1660  
Internet: info@moguls.com;  
www.moguls.com

SM-arch provides superior automation of backup/recovery processes than possible with utilities and user-written scripts. Because of its intelligent client design, it can scale to UNIX and NT networks of any size. File recovery is optimized by implementing a powerful on-line catalog. End-users can recover their own files without administrator intervention.





# *new* Products

## **Prism Solutions Unveils Prism Quality Manager**

Prism Solutions Inc. announced Prism Quality Manager software for auditing, managing and improving the quality of data across an organization's operational and informational systems.

Enhancements include: ability to export data quality metrics; simultaneous analysis of multiple databases; support for Informix 7, Sybase 11, Oracle 7.x, Sybase System 10, Paradox 5 and Access; and Year 2000 compliance. The software is licensed as part of a SureStart Quality Bundle, offered at

## **Bradmark Inc. And Quantum Software Release StarMan**

Bradmark Inc. and Quantum Software released StarMan, a client-server, GUI-based system for the HP 3000 version of MANMAN. StarMan eliminates the need for terminals or terminal emulation.

The StarMan graphical interface addresses the Manufacturing, Order Management and Sales Order Entry modules within the OMAR (Order Management Accounts Receivable) subsystem. Other modules are in the process of conversion.

StarMan runs with HP 3000s using versions MPE 5.0 or higher, and runs on MANMAN version 6.0 and higher.

Contact Bradmark, Houston, TX; (800) 275-2723; [nsales@mail.bradmark.com](mailto:nsales@mail.bradmark.com); [www.bradmark.com](http://www.bradmark.com)

*Circle 373 on reader card*

\$70,000.

Contact Prism Solutions, Sunnyvale, CA; (800) 995-2928; [info@prismsolutions.com](mailto:info@prismsolutions.com); [www.prismsolutions.com](http://www.prismsolutions.com).

*Circle 399 on reader card*

## **Apertus Technologies Provides Enterprise/Access 2.5**

Apertus Technologies Inc. announced Web browser-based access to HP 3000 applications using version 2.5 of Enterprise/Access, an application server solution for integrating host applications with the Web. Enterprise/Access is also available on the UNIX-based HP 9000 platform.

Enterprise/Access was designed to minimize programming with a powerful development studio, automatic code generation and an object-oriented framework to maximize reuse.

Contact Apertus Technologies Inc., Eden Prairie, MN; (800) 793-3509; [info@apertus.com](mailto:info@apertus.com); [www.apertus.com](http://www.apertus.com).

*Circle 396 on reader card*

## **QMS Delivers CrownAdmin 3**

QMS Inc. introduced CrownAdmin 3 printer management software that centralizes and reduces management processes, allowing administrators to control QMS Crown Print Systems in real time from remote locations. CrownAdmin 3 will ship as the standard administration utility with all QMS Crown print systems.

QMS CrownAdmin 3 runs on Windows 3.x, Windows 95, Windows NT, SunOS, Solaris, HP-UX, IBM AIX, Macintosh, OS/2 and Solaris 64-bit UPA. CrownAdmin 3 will be available on a single CD-ROM shipped with QMS Crown printers and upgrade kits free of charge.

Contact QMS, Mobile, AL; (800) 523-2696; [info@qms.com](mailto:info@qms.com); [www.qms.com](http://www.qms.com)

*Circle 388 on reader card*

## **FastLane Enhances Enterprise FINAL**

FastLane Technologies Inc. introduced Enterprise FINAL.

Enterprise FINAL solves the challenges of managing multiple network operating systems, offering global or mass enterprise management of all network functions from a single point of administration.

Contact FastLane Technologies Inc., Halifax, NS; (902) 421-5353; [info@fastlanetech.com](mailto:info@fastlanetech.com); [www.fastlanetech.com](http://www.fastlanetech.com).

*Circle 394 on reader card*

## **Magic Software Offers Unified Development**

Magic Software Enterprises announced Version 8, the Magic Enterprise Edition, which includes Internet and client-server integration capabilities, visual and dynamic application partitioning, version control, a new application management architecture, a new open API, Java client generation and applet component integration. Pricing starts at \$5,500 for a single enterprise client-server development system.

Contact Magic Software Enterprises, Irvine, CA; (714) 250-1718; [info@magic-inc.com](mailto:info@magic-inc.com); [www.magic-sw.com](http://www.magic-sw.com).

*Circle 393 on reader card*

## **NobleNet Inc. Supports NetManage NEWT SDK**

NobleNet Inc. announced an agreement to supply support and technology to customers using the NetManage NEWT Software Development Kit (SDK) Remote Procedure Call (RPC). Under the agreement, NobleNet technical support will answer questions about the use and function of RPC technology for NetManage's NEWT SDK RPC customers covered by a support contract.

Contact NobleNet, Southboro, MA; (508) 460-8222; [newt@noblenet.com](mailto:newt@noblenet.com); [www.noblenet.com](http://www.noblenet.com).

*Circle 390 on reader card*

## **UniSolutions Enhances JobAcct Option**

UniSolutions Associates offered an optional package for their JobAcct software. The option allows system administrators higher accuracy and greater flexibility for tracking and billing server usage for response to queries against Oracle databases. The



## New From HP

**HP TapeAssure and TapeAlert** — HP announced HP TapeAssure, a software utility that simplifies the installation and configuration of all HP SureStore tape backup devices.

HP TapeAssure runs under Windows NT, Novell NetWare and Windows 95, and operates independently of any other software application. HP TapeAssure will ship on HP SureStore tape drives, excluding DLT library solutions, as part of the HP SureStore CD-ROM.

HP also announced that TapeAlert, HP's self-diagnostic firmware tool for recognizing tape-device storage problems, is compatible with HP OpenView for Windows, HP OpenView Network Node Manager for Windows NT, including integration with HP NetServer Assistant and Novell's Managewise for NetWare, as well as with backup administration applications from Computer Associates, Seagate Software and Stac.

**HP SureStore T4e Drive** — HP announced the HP SureStore T4e drive, an entry-level backup storage solution. The HP SureStore T4e drive is an external version of the HP SureStore T4i drive, a Travan tape product for PC LANs. The HP SureStore T4i/e (internal and external) products replace the HP Colorado T4000s/es products. The drive is certified for Novell NetWare, Windows NT, SCO UNIX system and Windows 95. The HP

SureStore T4 products also incorporate HP TapeAssure.

HP SureStore T4 drives include Cheyenne Colorado Backup for Windows 95, Windows and DOS from Computer Associates. They offer up to 8GB compressed capacity (4GB uncompressed) and a 60MBpm compressed transfer rate. The device has a SCSI-2 interface and conforms to the QIC-3095 standard format, making it compatible with TR-4 and QIC-wide minicartridges. Price is \$559.

**HP SureStore DLT70e Drive** — HP announced the HP SureStore DLT70e drive, which is targeted for network administrators of high-end centralized LANs, who require backup that is executed securely and effectively in the smallest-possible time frame. The new drive enables a capacity of 70GB of data (compressed) to be stored on a single tape and provides a transfer rate of 10MBps (compressed). It also incorporates an 8MB cache buffer to maximize drive performance.

The HP SureStore DLT70e drive is compatible with all major OSes, including UNIX system and Windows NT. The drive is backwards-compatible with media written on HP's SureStore DLT 30e and 40e drives, as well as non-HP DLT30 and DLT40 drives. The HP SureStore DLT70e drive is \$8,000.

*For more information, contact your local sales office or call (800) 533-1333.*

OUR 17TH YEAR

## QUALITY HP WORKSTATIONS - WITHOUT THE HP PRICE

RENT · LEASE · BUY

Immediate Delivery On Most Items

## QUALITY MAINTENANCE FOR HP WORKSTATIONS

Ask About Our RAPID REPLACEMENT Low Cost Maintenance Programs Which Include On-Site Spares

- HP 9000 SERVERS: All Models
- HP 9000 WORKSTATIONS: All Models
- X-Stations: ENVIZEX, C270X
- All 300, 400T and 400E Series
- Memory, Features & Disc Upgrades for all Workstations
- CPU Upgrades: All Models

*More Than 1500 Satisfied Customers  
Throughout The USA and Worldwide*


For technical info, specs or pricing  
call Mordy or Carol



**C.S.U. Industries, Inc.**  
395 Pearsall Avenue, Cedarhurst, NY 11516  
(516) 239-4310 FAX (516) 239-8374

CIRCLE 213 ON READER CARD

**hp 3000/9000**  
*Remanufactured*



**HARDWAREHOUSE**



[www.hardwarehouse.com](http://www.hardwarehouse.com)

1875 Laws Street Dallas, Texas 75202  
800-727-9636 FAX 214-754-0603

CIRCLE 412 ON READER CARD



Oracle option is priced at \$2,000 per site. It also requires a licensing agreement, which starts at \$2,345 for the network license. The standalone base package ranges from \$1,595 to \$5,445.

Contact UniSolutions Associates, Dana Point, CA; (714) 488-3960; [info@unisol.com](mailto:info@unisol.com); [www.unisol.com](http://www.unisol.com).

*Circle 385 on reader card*

### **Redstone Technologies Releases Millennium Rx**

Redstone Technologies announced Millennium Rx, which allows software systems to continue running smoothly after the year 2000 without requiring time-consuming, expensive, error-prone conversion of two-digit to four-digit year representations.

It gives users the option to stay with two-digit year representations for any or all date fields. Contact Redstone Technologies Inc., Aurora, CO; (888) 766-7610; [redstonehp@aol.com](mailto:redstonehp@aol.com).

*Circle 383 on reader card*

### **Cayenne Software Links ProcessTeam**

Cayenne Software announced ProcessTeam, which allows organizations to create technology-independent, high-level business models of critical business functions. ProcessTeam is based on technology from Proforma Corp. Cayenne will integrate ProcessTeam with ObjectTeam, an object-oriented analysis and design solution, and GroundWorks, a data analysis solution, thus automating the connection between business process and systems designed to support these processes.

Contact Cayenne Software, Burlington, MA; (617) 273-9003; [info@cayennesoft.com](mailto:info@cayennesoft.com); [www.cayennesoft.com](http://www.cayennesoft.com).

*Circle 384 on reader card*

### **Bristol Technology Announces Wind/U 4.1**

Bristol Technology Inc. announced Wind/U 4.1, a cross-platform development software. Wind/U 4.1 includes new support for ActiveX Template Library (ATL)

and OpenGL, and contains performance gains in dialog support. Also included in this release is support for Stingray Software's Objective Grid and Objective Toolkit MFC components on UNIX.

With Wind/U 4.1, developers can write their applications on Windows 95 or Windows NT, and deploy them on Windows, UNIX, OpenVMS and OS/390.

Wind/U 4.1 runs on SunOS, Solaris, HP-UX, Digital OpenVMS, AIX and Irix. Price is \$12,000.

Contact Bristol Technology Inc., Ridgefield, CT; (203) 438-6969; [info@bristol.com](mailto:info@bristol.com); [www.bristol.com](http://www.bristol.com).

*Circle 381 on reader card*

## **HARDWARE**

### **ADIC Partners With Crossroads Systems**

ADIC announced a strategic partnership agreement with Crossroads Systems Inc. The partnership allows ADIC to offer products to integrate a wide variety of storage devices with Fibre Channel networks and provides Crossroads access to an installed base of more than 20,000 tape libraries in end-user sites with complex storage needs.

Contact ADIC, Redmond, WA; (800) 336-1233; [www.adic.com](http://www.adic.com).

*Circle 380 on reader card*

### **Allied Telesyn Offers AT-MC101, AT-MC102**

Allied Telesyn announced the AT-MC101 and AT-MC102 fast-media converters, which allow network managers to convert 100BaseTX to 100BaseFX. The ability to convert RJ45 copper ports into ST or SC fiber connections is a key requirement in managing the introduction of fiber into a copper infrastructure.

To maximize flexibility, the new media converter is available in both ST (AT-MC101) and SC (AT-MC102) fiber connector styles. The AT-MC101 and AT-MC102 also feature a MDI/MDIX crossover switch allowing the unit to connect directly to a PC, switch or hub.

Contact Allied Telesyn International, Sunnyvale, CA; (408) 730-0950; [ati\\_sales@alliedtelesyn.com](mailto:ati_sales@alliedtelesyn.com); [www.alliedtelesyn.com](http://www.alliedtelesyn.com).

*Circle 379 on reader card*

### **MTI Announces StorageWare FC**

MTI Technology Corp. announced StorageWare FC, a Fibre Channel-attached subsystem.

# **ISAMATION**

**THE FASTEST ISAM REBUILD TOOL AVAILABLE!**

**ISAMATION provides an easy to use, very fast, in place rebuild of HP-UX COBOL indexed files for both normal maintenance work and disaster recovery**

*For more information on the ultimate ISAM maintenance and data recovery tools, contact:*



**Computing System Innovations**

120 E. Marks St. • Suite 225 • Orlando, FL 32803

407-649-0123 or 512-343-6634

FAX 407-649-1407 email - [info@csisoft.com](mailto:info@csisoft.com)

**CIRCLE 167 ON READER CARD**



StorageWare FC consists of an eight-drive chassis (single rackmountable shelf), an optional Fibre Channel host adapter, an optional Fibre Channel hub and associated Fibre Channel cables. The shelf uses dual 300-Watt power supplies (with dual power cords) and supports hot-swappable power supplies and disk drives.

It supports IBM AIX 4.2, with support planned for SGI IRIX 6.4, Windows NT 4.0, HP-UX 10.2 and Solaris 2.6.

Contact MTI, Anaheim, CA;  
(800) 999-9MTI; info@mti.com;  
www.mti.com.

*Circle 378 on reader card*

### Lanier Offers MDI's Optical Jukeboxes

Micro Design International Inc. (MDI) announced its partnership with Lanier Worldwide Inc. MDI will supply its writable optical jukeboxes to Lanier, for a complete document management solution. Lanier will offer MDI's family of writable optical libraries as part of its complete online imaging solution. Lanier also will bundle its software with MDI's optical jukeboxes, for improved productivity and instant access to scanned and third-party documents, as well as COLD data.

Contact MDI, Winter Park, FL;  
(800) 228-0891; info@mdi.com;  
www.mdi.com.

*Circle 377 on reader card*

### nStor Introduces CR8j Storage Enclosure

nStor Corp. Inc. introduced the CR8j. Featuring a 9- x 12-inch desktop footprint, the CR8j provides Ultra/Wide SCSI performance (up to 40MBps) in an eight-bay mini-tower enclosure. The highly scalable enclosure supports up to eight 1-inch or 1.625-inch 4GB or 9GB disk drives, offering up to 72GB of desktop storage per enclosure. An Ultra Extender Feature Card provides additional scalability by enhancing the Ultra/Wide SCSI signal to allow daisy-chaining up to three CR8j enclosures for a total of 216GB of desktop storage to meet the most demanding storage needs for any host environment.

The CR8j enclosure is available in a four or eight disk drive configuration, using 4GB or 9GB disks drives (either 7200 rpm or 10,000 rpm) with slide mounting rails and a dual-bus module. Options available include the single-bus module, an Ultra Extender Feature Card and a Differential Converter Card. Pricing for a 16GB CR8j configuration starts at \$6,570.

Contact nStor Corp. Inc., Lake Mary,

FL; (407) 829-3500; sales@nstor.com;  
www.nstor.com.

*Circle 376 on reader card*

### Olicom Unveils OC-8600

Olicom unveiled the CrossFire Token-Ring Switch (OC-8600). Using Olicom's ATM uplinks, the OC-8600 gives Token-Ring network managers a flexible, cost-effective and investment-secure migration

path to ATM as a backbone technology.

Performance is 1.624 million packets per second and an internal latency as low as 23 microseconds. The OC-8600 can be expanded through stacking to accommodate up to 224 ports. It provides plug-and-play installation with native support for all bridging modes.

Contact Olicom, Plano, TX;  
(972) 423-7560; www.olicom.com.

*Circle 375 on reader card*

## HP<sup>®</sup> SALES • RENTALS • SERVICE 1-800-422-4872



### WORKSTATIONS

B Series  
C Series  
J Series  
Visualize Graphics

### BUSINESS SERVERS

E Series  
D Series  
G - H - I Series  
K Series

**COMPLETE LINE 700 & 800 SERIES IN STOCK!**

### AND MORE...

Add On Memory  
Disc Arrays  
Opticals  
Netservers

Test & Measurement  
Personal Computers  
Data Acquisition  
Notebooks

X Terminals  
Printers  
Plotters  
Disc Drives



THE RIGHT EQUIPMENT. RIGHT NOW.

# TSA

2040 West Sam Houston Parkway N. • Houston, Texas 77043

713/935-1500 • Fax: 713/935-1555 • http://www.tsa.com • E-mail: info@tsa.com



# PRODUCTshowcase

MONTEREY BAY COMMUNICATIONS  
*The HP 1000/9000 Specialists*




**MBC**  
MONTEREY BAY  
COMMUNICATIONS

TEL: 408/429-6144  
FAX: 408/429-1918  
1010 Fair Avenue  
Santa Cruz, CA 95060

CIRCLE 229 ON READER CARD

## TUNE INTO HP

Pre-owned Equipment



WORKSTATIONS

CPUs

DISC & TAPE DRIVES

TERMINALS & PRINTERS

3000/9000 MEMORY

**Lynne Company**

(Phone #) 805-489-1564  
(Fax) 805-481-3799

CIRCLE 219 ON READER CARD

## Lowest Prices on Memory


\*Reliable Products

\* Wide Product Range

\* Simple ordering with fast delivery

\* "No Strings" Lifetime Warranty

Save time, money ordering  
directly from the manufacturer



25 Birch St.  
Milford, MA 01757  
(800) 253-2778  
(508) 473-6111  
FAX(508) 473-0112

[www.clearpoint.com/~memory](http://www.clearpoint.com/~memory)

Email: [memory@clearpoint.com](mailto:memory@clearpoint.com)


**Clearpoint Enterprises**

CIRCLE 403 ON READER CARD

**BUY - SELL  
RENT - REPAIR  
EVERYTHING HP®**

**800 Series Servers**

**700 Series Workstations**



Authorized  
Rental  
Company



713 935-1500  
Fax 713 935-1555  
<http://www.tsa.com>  
Email: [info@tsa.com](mailto:info@tsa.com)

**800 422-4872**

CIRCLE 228 ON READER CARD



HP9000 REMANUFACTURED

SYSTEMS, PERIPHERALS & MEMORY

HIGH-END, MID-LEVEL & CLASSIC SYSTEMS

CUSTOM CONFIGURATION & TECH SUPPORT

& UNBEATABLE CUSTOMER SERVICE

Call today for a quote & availability  
and discover the Workstations Edge!

**800-842-4781**

5980 Golden Hills Drive, Minneapolis, MN 55416  
612-512-3200 ph 612-512-1072 fax

CIRCLE 458 ON READER CARD

## CD-R for HP

**GEAR**, Elektroson's premiere CD-Recordable software, enables Sys. Administrators to:

- distribute data on cross platform media
- archive data safely and inexpensively
- cut patches and updates to CD
- create custom audio and video CDs

**GEAR** supports the most extensive number of optical file formats, including ISO 9660 with Rockridge extensions. Elektroson products are compatible with the latest in CD-R technology from all major drive manufacturers.

**ELEKTROSON**

**1 (800) 606-6116**

[www.elektroson.com](http://www.elektroson.com)

CIRCLE 168 ON READER CARD

**HEWLETT-PACKARD**

**1000 • 3000 • 9000**

**BUY • SELL • RENT • LEASE**

**MAINTENANCE**

**PROCESSORS • PERIPHERALS • SYSTEMS**

**EURODATA INC.**

**(613) 745-0921**

Fax: (613) 745-1172

2574 Sheffield Road, Ottawa, Canada K1B 3V7

E-Mail: [eurodata@magi.com](mailto:eurodata@magi.com)

CIRCLE 283 ON READER CARD

**SPATCH**

alphanumeric paging  
software for UNIX

Now UNIX users can  
send text messages to  
alphanumeric pagers from  
a user, an application, or an E-mail system!

Interactive User Interface  
Event Monitoring  
IntraNet/InterNet Paging  
E-mail Forwarding  
Easy Application Integration

**Starting at only \$199**



Now  
available on  
Windows NT

THE HYDE COMPANY  
phone 770/495-0718 fax 770/476-7626  
[www.spatch.com](http://www.spatch.com)  
[spatch@america.net](mailto:spatch@america.net)

CIRCLE 142 ON READER CARD

*Time Critical Manufacturing®*

**EMS®**

EMS is unique in providing both MES and ERP/COMMS to discrete manufacturers. Our strategy is focused on taking time out of the manufacturing process . . . by reducing the time spent waiting for information, providing real-time, pro-active E-Mail messaging, real-time/closed loop scheduling (Finite & Infinite), and standard queries based on real-time information.

Effective Management Systems, Inc.

**1-800-294-3626**

CIRCLE 146 ON READER CARD



# PRODUCT showcase

**RECERTIFIED H-P EQUIPMENT**

**HP 9000**

BUY		TRADE	
RENT		SELL	
Servers	Disk Drives	Modems	
Workstations	CD-ROM	PC's	
Plotters	Tape Drives	X-Terminals	
LaserJet	Memory	Upgrade's	

**800-VIA-TECH**

**800-842-8324**

VIA Technology  
603 Navam, Suite 800  
San Antonio, TX 78205  
210-227-7726 voice  
210-227-6223 fax  
20511.3345@Compuserve.com

Ask for a Certified HP Sales Professional  
or extension 312. VIA Technology is a  
Hewlett Packard Channel Partner.

CIRCLE 492 ON READER CARD

**ALLON**

**Allon Computer  
Hewlett Packard  
Refurbished Hardware**

**Sales: 800 688-5554**

Info. 203 854-9446 Fax 203 854-6612

HP 9000 Servers, HP 3000 Servers, Plotters,  
Workstations, Personal Computers, Printers,  
Net Servers... and all their peripherals

Quality, Integrity, Reliability Since 1989  
<http://www.alloncomputer.com>

CIRCLE 251 ON READER CARD

**TED DASHER &  
ASSOCIATES**

**HEWLETT-PACKARD  
9000 SPECIALIST**

**We Remarket HP**

PLOTTERS	WORKSTATIONS	PRINTERS
DesignJet	200 Series	LaserJet
Desktop	300 Series	DeskJet
DraftPro	400 Series	Rugged Writer
DraftMaster	700 Series	ThinkJet
Electrostatic	800 Series	PaintJet

VECTRA PERSONAL COMPUTERS - NETSERVERS - SCANNERS  
FAX MACHINES - DISPLAYS - MAC PRINTERS - LAPTOPS  
ALL EQUIPMENT IS REFURBISHED AND CARRIES A 90 DAY WARRANTY

**4117 2ND AVENUE SOUTH BIRMINGHAM, AL 35222**

**800-638-4838**

PHONE 205-591-4747  
FAX 205-591-1108  
EMAIL sales@dasher.com

**HEWLETT-PACKARD  
Channel  
Partner**

CIRCLE 233 ON READER CARD

**our response.**

**theirs.**

**ISN'T IT TIME FOR NORCO?**

The total product & service package  
can only be found at NorCo.  
Call today and see what we  
mean when we say,  
"New or used, NorCo means a good  
deal and a good deal more!"™

**NORCO**  
COMPUTER SYSTEMS, INC.

21337 Drake Road, Cleveland, OH 44136-6620  
(216)-572-4040 (800)-892-1920 Fax (216)-572-0636  
eMail: norcocomp@aol.com web: www.norcocomp.com

CIRCLE 221 ON READER CARD

E-mail: [iodata@mindspring.com](mailto:iodata@mindspring.com)

**HP 3000  
HARDWARE**

**HP 9000  
HARDWARE**

**I/O DATA SYSTEMS, INC.**

**HEWLETT  
PACKARD  
SPECIALISTS**

also featuring...

**Internet and Faxing Solutions**

**I/O DATA SYSTEMS, INC.**  
27378 W. OVIATT BAY VILLAGE, OH 44140  
(216)835-2211 FAX (440) 835-0220  
<http://www.iodatasy.com>

CIRCLE 272 ON READER CARD

**WARNING:**

Trusting your  
computer systems  
and networking to the  
wrong company can be  
detrimental  
to your future.

**Be Safe. Contact us.**

**www.wsins.com**  
**888.704.5333**

**WSI Network Services**  
Hardware . Software . Services  
A Division of Workstations International

CIRCLE 457 ON READER CARD

**Surety  
systems, Inc.**

**Hewlett Packard Equipment  
And Maintenance Services**

- HP 9000
- HP 3000
- HP 700 Series Workstations
- HP Peripherals

(713) 466-9455

A World Apart. A Phone Call Away.

**HEWLETT-PACKARD  
Channel  
Partner**

**COMPUTER  
ASSOCIATES**  
Software superior by design  
CA-Unicenter™

**Advanced  
Matrix  
Technology**

Houston, TX. FAX (713) 466-9454  
sales@surety-sys.com

CIRCLE 226 ON READER CARD

**QUALITY HP  
EQUIPMENT  
WITHOUT THE  
HP PRICE**

**DON'T UPGRADE YOUR HP SYSTEM  
UNTIL YOU GET A SECOND OPINION  
FROM THE SECOND SOURCE FOR  
HEWLETT-PACKARD  
1000-3000-9000 EQUIPMENT**

Consult with us about cost-saving alternatives

- Complete Configurations
- Individual CPUs-Peripherals
- Memory Upgrades and Feature Enhancements
- Classic and Spectrum Equipment

**WE BUY**  
Highest Prices Paid

**WE SELL**  
All Items Sold Are Guaranteed for HP Maintenance  
Short and Long Term Leases Available

**WE TRADE**  
Over 1000 satisfied Hewlett-Packard users are our  
customer references throughout the  
United States, Canada, Europe, and the Far East.

**C.S.U. Industries, Inc.**  
395 Pearsall Avenue, Cedarhurst, NY 11516  
Ask for Mord: (516) 239-4310  
FAX (516) 239-8374

CIRCLE 205 ON READER CARD

**Free Yamaha  
CD-R Drive**

**when you buy Elektrotron's  
GEAR software for UNIX**

**GEAR** supports the most extensive number of  
optical file formats, including ISO 9660 with  
Rockridge extensions. Elektrotron products  
are compatible with the latest in CD-R  
technology from all major drive manufacturers.

**GREENWOOD  
ASSOCIATES**  
A division of Electro-Prep, Inc.


**1 (508) 291-3344**  
**sales@electroprep.com**

CIRCLE 197 ON READER CARD



# PRODUCTshowcase

## WE MANUFACTURE HP Accessories



Data Collection  
Terminals

Trackballs

Bar Code  
Readers

**BKS** électronique

20 rue A. Berges/ZI des Iles  
F-38800 Le Pont de Claix  
FRANCE  
Tel: +33 476 98 30 99  
Fax: +33 476 98 57 79

... AND  
MORE !

CIRCLE 493 ON READER CARD

# WOW!

## it's all here for less!

### HP 9000

20-80% off List!

Fastest Shipping!

Full Warranties Available!

**CHAMPSYSTEMS**

**1.800.536.1966**

fax: **1.503.234.7634**

CIRCLE 415 ON READER CARD

## HEWLETT PACKARD

### Depot Repair

- Expert Depot Repair
- 5 Day Turnaround
- Emergency Exchange Program

**BLACK RIVER**  
COMPUTERS

**1-800-837-0061**

<http://www.blackriver.com>

e-mail: [sales@blackriver.com](mailto:sales@blackriver.com)

216-365-3916 FAX

CIRCLE 158 ON READER CARD

## CLASSIFIEDS

# All spoolers are NOT created Easy

# EasySpooler®

## Setting the Standard for UNIX Print Spooling since 1990

Fewer Help Desk Calls

Users Manage their own Reports

Easy for Users to Understand

Easy to Install

Paper Jams? ... No Problem!

[www.easyspooler.com](http://www.easyspooler.com)

phone: **(214) 522-2324**

email: [ezinfo@seasys.com](mailto:ezinfo@seasys.com)

CIRCLE 173 ON READER CARD

## CONSULTANTS

**SWC**  
SW Consulting, Inc.

SW Consulting, Inc. is currently seeking  
Programmers / Analysts with the following skills:

- HP3000 / HP9000 / PC / LAN
- MPE / Unix / Windows 95/NT
- Speedware / Powerhouse / Cobol
- Power Builder / Visual Basic

Salaries for professionals with one or more of these  
skills start at \$70,000/year. For more information,  
call or fax your resume to:

SW Consulting, Inc.  
13180 N Cleveland Avenue Phone: 800-494-4977  
Suite 112 941-656-1011  
N. Ft. Myers, Florida 33903 Fax: 941-997-0456

Email: [Steven\\_N\\_Lastic@msn.com](mailto:Steven_N_Lastic@msn.com) or [BERAGAIN@msn.com](mailto:BERAGAIN@msn.com)

CIRCLE 255 ON READER CARD

## Product Showcase INFORMATION

Size: 1/8 page - 2 3/16 x 2 3/4

Rates:

1 time: \$625 3 times: \$550

6 times: \$510 12 times: \$450

FOR MORE INFORMATION

CALL

Lisa Merck

(708) 478-0300

Fax: (708) 478-0399



# ADVERTISER INDEX

# HP Professional

RS #	PAGE #
162	<b>Aldon Computer Group</b> ..... 4 800-825-5858 FAX 510-839-2894 www.aldon.com irwin@aldon.com
145	<b>Allegiant Legacy Solutions</b> ..... 27 513-984-1822 www.allgnt.com gluntz@iglou.com
241	<b>ATL Products</b> ..... C2 800-677-6268 www.atlp.com
	<b>Attachmate Corp.</b> ..... 11 800-426-6283 www.attachmate.com/hppx.htm
181	<b>Aurora Software Inc.</b> ..... 25 603-382-4200 FAX 603-382-4247 www.sarcheck.com
171	<b>Black River Computers</b> ..... 49 216-365-9950 FAX 216-365-3916 www.blackriver.com sales@blackriver.com
199	<b>Clam Associates</b> ..... 1 617-621-2542 www.clam.com/reliability_hp
180	<b>Comdisco</b> ..... 21 www.comdisco.com 1-800-272-9797
167	<b>Computer System Innovations(CSI)</b> ..... 58 407-649-0123 FAX 407-649-1407 info@csisoft.com
213	<b>CSU Industries</b> ..... 57 516-239-4310 FAX 516-239-8374
160	<b>Cybernetics</b> ..... 5 757-833-9000, x105 FAX 757-833-9300
408	<b>Dallas Digital</b> ..... 39 800-842-6333 www.daldig.com angelag@daldig.com
170	<b>DCSI</b> ..... 54 303-447-9251 FAX 303-447-1406 www.dcsi.com info@dcsl.com
296	<b>EMASS, Inc.</b> ..... 45 800-653-6277 www.emass.com storage@emass.com
265	<b>EMC Corp.</b> ..... C4 800-424-EMC2, ext. 133 www.emc.com
135	<b>Facet Corp.</b> ..... 37 800-235-9901 www.facetcorp.com info@facetcorp.com
412	<b>Hardware House</b> ..... 57 800-727-9636 www.hardwarehouse.com

RS #	PAGE #
	<b>Hewlett-Packard</b> ..... 43, 52, 53 www.hp.com/go/3000servers
178	<b>HiComp America, Inc.</b> ..... 17 800-323-8863 www.hicomp.com
	<b>HP-Computer Systems</b> ..... 2 www.hp.com/go/year2000
156	<b>Hummingbird Communications Ltd.</b> ..... C3 416-496-2200 FAX 416-496-2207 www.hummingbird.com/hpp
103	<b>IBM Business Recovery Services</b> ..... 19 800-599-9950 www.brs.ibm.com
149	<b>IBM Storage</b> ..... 46, 47 800-289-0579 www.software.ibm.com/datamining
122	<b>IEM</b> ..... 9 800-321-4674 www.iem.com info@iem.com
301	<b>KOM, Inc.</b> ..... 49 800-5KOMINC FAX 613-599-7206 www.kominc.com sales@kominc.com
155	<b>M.B.Foster Associates</b> ..... 35 800-ANSWERS (267-9377) FAX 613-448-2588
154	<b>Mitchell Humphrey &amp; Co</b> ..... 15 800-237-0028 FAX 314-991-5288 www.mhco-fms.com
246	<b>Newport Digital Corp</b> ..... 6 800-383-3642
200	<b>Polaris</b> ..... 37 800-541-5831 www.polaris1.com sales@polaris1.com
159	<b>RDI</b> ..... 31 800-734-5483 www.rdi.com
302	<b>StorageTek</b> ..... 41 800-202-8829 www.storagetek.com/disk
159	<b>Stratus Computer</b> ..... 12, 13 800-486-9194 www.stratus.com
266	<b>Technical &amp; Scientific Application (TSA)</b> ..... 59 800-422-4872 FAX 713-935-1555 www.tsa.com info@tsa.com
253	<b>Workstation Solutions</b> ..... 51 800-487-0080 FAX 603-880-0696 www.worksta.com/info@worksta.com
405	<b>World Data Products</b> ..... 23 800-553-0592 www.wpdi.com/info@wpdi.com

1300 Virginia Dr., Ste. 400  
Fort Washington, PA 19034  
(215) 643-8000 FAX (215) 643-8099  
www.hppro.com

## ADVERTISING SALES OFFICES

**Leslie Ringe, Publisher**  
**(215) 643-8070**

### EAST COAST

(215) 643-8117

**Whitney Gallagher**

*Regional Sales Manager*

1300 Virginia Drive, Suite 400

Fort Washington, PA 19034

FAX (215) 643-3901

gallaghewl@cardinal.com

### MIDWEST/WEST

(215) 643-8063

**Gloria Goodwin**

*Regional Sales Manager*

1300 Virginia Drive, Suite 400

Fort Washington, PA 19034

FAX (215) 643-3901

goodwingm@cardinal.com

### EUROPE

(410) 897-0297

**Fran Grega**

*European Sales Manager*

523 Samuel Chase Way

Annapolis, MD 21401

FAX (410) 897-0298

frangrega@compuserve.com

### Cheryl DeMaioibus

*Marketing Services Manager*

(215) 643-8108

demaioici@cardinal.com

### Cathy Dodies

*List Rental Manager*

(215) 643-8047

dodiescl@cardinal.com

### Lisa Merck

*Product Showcase Sales Manager*

*Postcard Showcase Manager*

(708) 478-0300


FAX (708) 478-0399

merck@cardinal.com

**(215) 643-8000**  
**FAX (215) 643-8099**



## Forget NT, Learn COBOL



**James H. Zisch,**  
Systems  
Engineer  
Acucobol Inc.

Although I am a systems engineer for Acucobol Inc., I often find myself in another role: that of an information provider at a trade show. That's a technical way of saying I deliver seminar speeches and presentations. The topic usually focuses on my forte — pre-sales technical support of our various COBOL application development tools.

During the past few years, many have claimed that COBOL is a dead language. I naturally disagree. And you may not believe it, but in the 21st century, COBOL will be even more vital and important than ever. New programming languages like C, C++ and Java just don't handle business processes as well as COBOL. But because COBOL is not a glamorous New Age language like Java, there is a critical shortage of COBOL programmers.

After speaking in a seminar entitled *How To Leverage Your Existing Assets On The Web* at HP World in Chicago this past August, I was on my way back to the airport when I discovered that new COBOL programmers may not be coming from the usual backgrounds. Striking up a conversation with my cab driver, I discovered that he was taking computer courses at Columbia University and was, in fact, studying COBOL.

He told me that although he had his engineering degree and had programmed as an engineer, he was required to have certification in order to secure employment as a programmer. Thinking that he might just be interested in a extracting a sizable tip, I tested him. And he held his COBOL textbook up with a proud smile.

The driver and I discussed a version of COBOL that provides the same platform independence Java is touted to eventually provide, with portable program objects running against platform-specific run-

times — write, compile once and deploy anywhere. And, a COBOL with a GUI is much easier to use than C++ syntax. He commented on how his advisors and instructors had conveyed the importance of COBOL. And, that after taking his first programming classes, he quickly learned of COBOL's significance in business worldwide.

He was the second cab driver during my week in Chicago who had told me that they were studying COBOL! I had been aware of doctors and nurses going back to school to learn COBOL, but add cab drivers and you begin to get a picture.

Recently, we moved a major fast food retailer's mission-critical application system to an HP 9000 platform, while leaving the data resident on the mainframe. COBOL has advanced to a point of sophistication that when I recently contacted that customer to learn of the configuration specifics to implement the solution, they weren't certain how their client actually deployed the system. It was transparent to the COBOL application.

More than 80 percent of the worldwide business applications are being sourced in COBOL. Anyone following the approval process of the current ANSI COBOL draft knows that COBOL is not only alive but doing quite well. Businesses succeed by leveraging assets, and data supported by their COBOL application systems is one of their most significant assets. That is why COBOL has persisted as the computer source code of choice for the last two decades. And will continue to do so.

—James H. Zisch is a systems engineer at Acucobol Inc. (San Diego, Calif.). If you think COBOL is cool, drop a line to [jzisch@acucobol.com](mailto:jzisch@acucobol.com).



The PC X Server  
Standard:

Exceed

The Gold Standard:

# Exceed Version 6

The world leader now brings the world to you.

Exceed, the fastest growing PC X server,  
outsells all other PC X servers combined,  
with over 55% of the world market.

We packed the new  
Exceed Version 6 with



highly enhanced features: new web capabilities,  
improved performance, advanced functionality  
and an enriched and simplified interface.

Then we added *HostExplorer* Terminal  
Emulation Suite including TN3270E for  
today's enterprise computing environment.

Exceed Version 6 for Windows NT and  
Windows 95 and Exceed Version 5.2 for  
Windows are all on one CD. Being the  
best-selling, most powerful X server on earth  
just wasn't enough. It's only natural we keep  
exceeding...it's in our name.



**HUMMINGBIRD**<sup>®</sup>  
COMMUNICATIONS LTD.


[www.hummingbird.com/hpp](http://www.hummingbird.com/hpp) (416) 496-2200

Recent Excellence Awards:



CIRCLE 156 ON READER CARD





asier

calculator.

Not too long ago, companies stored their data the way they stored their hard goods—in out-of-the-way warehouses where the real estate was the cheapest. But enterprises of all types are becoming increasingly aware that accessible, centrally located data warehouses are crucial cogs in the business machine. "Storage is becoming much more strategic as a component in the IT environment," says P. J. Patil, director

...true measure of its  
After all, without the  
to collect precious data  
a computer would  
...than an expensive

## **Not Without EMC Enterprise Storage They Aren't.**

Data warehouses are becoming strategically vital to a business's success. But the truth is, many are outgrown right after they're delivered. They're simply overwhelmed by ever-increasing amounts of data. Unless you have EMC Enterprise Storage.™ It's the only solution that keeps mission-critical information available, protected and timely, even in the face of explosive growth. And it's the only way to refresh data from multiple sources without sacrificing performance. To find out how a data warehouse with EMC

Enterprise Storage can help you instantly respond to the ever-changing needs of your business,

call 1-800-424-EMC2, ext. 133, and

we'll send you an interactive CD-ROM.

Or visit us at [www.emc.com](http://www.emc.com).

**EMC<sup>2</sup>**  
The Enterprise Storage Company

EMC<sup>2</sup> is a registered trademark, and EMC, EMC Enterprise Storage, and The Enterprise Storage Company are trademarks of EMC Corporation. ©1997 EMC Corporation. All rights reserved.  
Reprinted through the courtesy of CIO. ©1996 CIO Communications Inc. - Daniel Gross author. 4/15/1996

CIRCLE 265 ON READER CARD